



[www.daytonparts.com](http://www.daytonparts.com)

# THREADED ROD, U-BOLTS & SPRING ACCESSORIES

## MASTER CATALOG



# Table of Contents

## Table of Contents

---

### *U-Bolts and Threaded Rods*

Forged U-Bolts . . . . .	10
Threaded Rods - Grade 5 and Grade 8 . . . . .	1
U-Bolts . . . . .	2-9
U-Bolt Kits . . . . .	3-9

### *Spring Accessories*

Aluminum Caster Wedges . . . . .	26-27
Bushings . . . . .	13-24
Center Bolts and Hardware . . . . .	11-12
Clips and Hardware . . . . .	25
Misc. Components . . . . .	27-28
Nuts . . . . .	25-26
Shop Equipment . . . . .	28
Spring Liners and Inserts . . . . .	27-28
Washers . . . . .	26

### *Abbreviations and Symbols*

<b>Dia</b> . . . . .	Diameter
<b>ID, I.D.</b> . . . . .	Inside Diameter
<b>Mm</b> . . . . .	Millimeter
<b>No.</b> . . . . .	Number
<b>OD, O.D.</b> . . . . .	Outside Diameter
<b>w/</b> . . . . .	With

### *Catalog Statement*

Dayton Parts, LLC. believes that all the parts will fit the applications shown in this catalog. Although care has been taken to ensure the accuracy of the data contained in this publication, Dayton Parts, LLC. does not assume any liability for errors or omissions.

© Copyright 2015, Dayton Parts, LLC., all rights reserved. No part of this publication covered by the copyrights hereon may be reproduced or copied in any form or by any means whatsoever without the expressed prior written permission of Dayton Parts, LLC.

# Threaded Rods


## Grade 5 Equivalent

Part No.	Dia.	Len.	Part No.	Dia.	Len.	Part No.	Dia.	Len.	Part No.	Dia.	Len.
5T3806	3/8	6	5T91628	9/16	28	8T5846	5/8	46	8T7850	7/8	50
5T3808	3/8	8	5T91630	9/16	30	8T5848	5/8	48	8T7852	7/8	52
5T3810	3/8	10	5T91632	9/16	32	8T3412	3/4	12	8T7854	7/8	54
5T3812	3/8	12	5T91634	9/16	34	8T3414	3/4	14	8T116	1	16
5T3814	3/8	14	5T91636	9/16	36	8T3416	3/4	16	8T118	1	18
5T3816	3/8	16	5T91638	9/16	38	8T3418	3/4	18	8T120	1	20
5T3818	3/8	18	5T91640	9/16	40	8T3420	3/4	20	8T122	1	22
5T71608	7/16	8	5T5818	5/8	18	8T3422	3/4	22	8T124	1	24
5T71610	7/16	10	5T5820	5/8	20	8T3424	3/4	24	8T126	1	26
5T71612	7/16	12	5T5822	5/8	22	8T3426	3/4	26	8T128	1	28
5T71614	7/16	14	5T5824	5/8	24	8T3428	3/4	28	8T130	1	30
5T71616	7/16	16	5T5826	5/8	26	8T3430	3/4	30	8T132	1	32
5T71618	7/16	18	5T5828	5/8	28	8T3432	3/4	32	8T134	1	34
5T71620	7/16	20	5T7830	7/8	30	8T3434	3/4	34	8T136	1	36
5T71622	7/16	22	5T7832	7/8	32	8T3436	3/4	36	8T138	1	38
5T71624	7/16	24	5T7834	7/8	34	8T3438	3/4	38	8T140	1	40
5T1208	1/2	8	5T7836	7/8	36	8T3440	3/4	40	8T142	1	42
5T1210	1/2	10	5T7838	7/8	38	8T3442	3/4	42	8T144	1	44
5T1212	1/2	12	5T7840	7/8	40	8T3444	3/4	44	8T146	1	46
5T1214	1/2	14	<b>Grade 8 Equivalent</b>			8T3446	3/4	46	8T148	1	48
5T1216	1/2	16				8T3448	3/4	48	8T150	1	50
5T1218	1/2	18	<b>Part No.</b>	<b>Dia.</b>	<b>Len.</b>	8T3450	3/4	50	8T152	1	52
5T1220	1/2	20	8T5810	5/8	10	8T3452	3/4	52	8T11828	1 1/8	28
5T1222	1/2	22	8T5812	5/8	12	8T7816	7/8	16	8T11830	1 1/8	30
5T1224	1/2	24	8T5814	5/8	14	8T7818	7/8	18	8T11832	1 1/8	32
5T1226	1/2	26	8T5816	5/8	16	8T7820	7/8	20	8T11834	1 1/8	34
5T1228	1/2	28	8T5818	5/8	18	8T7822	7/8	22	8T11836	1 1/8	36
5T1230	1/2	30	8T5820	5/8	20	8T7824	7/8	24	8T11838	1 1/8	38
5T1232	1/2	32	8T5822	5/8	22	8T7826	7/8	26	8T11840	1 1/8	40
5T1234	1/2	34	8T5824	5/8	24	8T7828	7/8	28	8T11424	1 1/4	24
5T1236	1/2	36	8T5826	5/8	26	8T7830	7/8	30	8T11426	1 1/4	26
5T91610	9/16	10	8T5828	5/8	28	8T7832	7/8	32	8T11428	1 1/4	28
5T91612	9/16	12	8T5830	5/8	30	8T7834	7/8	34	8T11430	1 1/4	30
5T91614	9/16	14	8T5832	5/8	32	8T7836	7/8	36	8T11432	1 1/4	32
5T91616	9/16	16	8T5834	5/8	34	8T7838	7/8	38	8T11434	1 1/4	34
5T91618	9/16	18	8T5836	5/8	36	8T7840	7/8	40	8T11436	1 1/4	36
5T91620	9/16	20	8T5838	5/8	38	8T7842	7/8	42	8T11438	1 1/4	38
5T91622	9/16	22	8T5840	5/8	40	8T7844	7/8	44	8T11440	1 1/4	40
5T91624	9/16	24	8T5842	5/8	42	8T7846	7/8	46	8T11442	1 1/4	42
5T91626	9/16	26	8T5844	5/8	44	8T7848	7/8	48			


# U-Bolts

## Special Semi-Round Bend Descriptions

Dim. A	Dim. B	Spring Width	Bend Type	Make	Front/Rear	Model
5/8	2 1/16	2 1/2	FR	Ford	Front	B, F, LN
5/8	3 1/16	3	FR	Navistar	Front	Medium "S"
5/8	4 1/16	4	IR	GMC / Chevrolet	Front	50, 60, 70, (TopKick, Kodiak) - After 1989
5/8	4 1/16	4	CR	Ford	Front	L
5/8	4 1/16	4	IR	Navistar	Front	Fleetstar
3/4	2 9/16	2 1/2	CR	GMC / Chevrolet	Rear	50, 60, 70, Single Axle - Before 1990
3/4	2 9/16	2 1/2	CR1	GMC / Chevrolet	Rear	P
3/4	3 1/16	3	CR1	GMC / Chevrolet	Rear	50, 60, 70, Single Axle - Before 1990
3/4	3 1/16	3	CR2	GMC / Chevrolet	Front	50, 60, 70 - Before 1990
3/4	3 1/16	3	CR3	GMC / Chevrolet	Rear	50, 60, 70, (TopKick, Kodiak) Single Axle - After 1989
3/4	3 1/16	3	FR	Ford	Rear	B, F, L, LN, Single Axle
3/4	3 1/16	3	IR	GMC / Chevrolet	Rear	C3500HD
3/4	3 1/16	3	IR2	Navistar	Rear	"S" Single Axle
3/4	3 9/16	3 1/2	IR	Navistar	Rear	Heavy Duty Single Axle and Tandem Axle
3/4	3 9/16	3 1/2	PR2	Peterbilt	Front	
3/4	4 1/16	4	CR	GMC / Chevrolet	Front	50, 60, 70, (TopKick, Kodiak) - After 1989
3/4	4 1/16	4	FR	Ford	Front	CL, F, L
3/4	4 1/16	4	HS	Kenworth	Front	(Same bend as Hendrickson)
3/4	4 1/16	4	IR	Navistar	Front	Fleetstar, Heavy "S", Transtar
3/4	4 1/16	4	PR	Peterbilt	Front	
7/8	3 1/16	3	CR1	GMC / Chevrolet	Rear	50, 60, 70, Single Axle - Before 1990
7/8	3 1/16	3	CR3	GMC / Chevrolet	Rear	50, 60, 70, (TopKick, Kodiak) Single Axle - After 1989
7/8	3 1/16	3	FR	Ford	Rear	B, CL, F, L, LN, Single Axle
7/8	3 9/16	3 1/2	IR	Navistar	Rear	Heavy Duty Single Axle and Tandem Axle
7/8	3 9/16	3 1/2	PR	Peterbilt	Rear	Single Axle
7/8	4 1/16	4	FR	Ford	Front	L
7/8	4 1/16	4	FR	Ford	Front	L
7/8	4 1/16	4	HS	Hendrickson	Rear	RU, RUE, U, UE-340
7/8	4 1/16	4	HS	Hendrickson	Rear	RU, RUE, U, UE-340
7/8	4 1/16	4	HS	Kenworth	Front	(Same bend as Hendrickson)
7/8	5 1/4	5	FS	Freightliner	Rear	FAS II Airliner
1	4 1/16	4	PR	Peterbilt	Rear	Air Leaf, Air Trac
1	4 1/16	4	PR	Navistar	Front	Fleetstar, Heavy "S", Transtar (Same bend as Peterbilt)
1 1/8	4 1/16	4	MR	Mack	Rear	ST34, ST38
1 1/4	4 1/16	4	MR	Mack	Rear	4" Wide Camelback Springs
1 1/4	5 1/16	5	MR	Mack	Rear	5" Wide Camelback Springs



Round Bend



Square Bend



Semi-Round /  
Special Bend

### How to Order

*When ordering Dayton Parts, Inc. U-Bolts, specify grade of material to be shipped:*

**Include Prefix 5 (ex: 5U-4410R) with part number for grade 5 equivalent, diameter sizes 3/8" - 7/8".**

**Include Prefix 8 (ex: 8U-4410R) with part number for grade 8 equivalent, diameter sizes 5/8" - 1 1/4".**

# U-Bolts

## 3/8" Diameter (A)

### Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
2 1/4	6 1/8	U-003R	14	-
2 3/8	7 1/8	U-005R	16	-

## 7/16" Diameter (A)

### Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
1 13/16	3 1/4	U-012R	8	-
1 13/16	4 1/4	U-014R	10	-
1 13/16	5 1/4	U-015R	12	-
1 13/16	6 1/4	U-016R	14	-
2 1/4	5 1/8	U-025R	12	-
2 1/4	6 1/8	U-026R	14	-
2 1/4	7 1/8	U-030R	16	-
2 1/4	8 1/8	U-027R	18	-
2 5/16	9	U-0209R	20	-
2 5/16	10	U-0210R	22	-
2 3/8	5	U-2005R	12	-
2 3/8	6	U-2006R	14	-
2 3/8	7	U-2007R	16	-
2 1/2	5	U-034R	12	-
2 1/2	6	U-035R	14	-
2 1/2	7	U-036R	16	-
2 1/2	8	U-9201R	18	-
2 1/2	9	U-037R	20	-
2 1/2	10	U-039R	22	-
2 5/8	6	U-040R	14	-
2 5/8	7	U-042R	16	-
2 5/8	8	U-043R	18	-
2 3/4	5 7/8	U-046R	14	-
2 3/4	6 7/8	U-047R	16	-
2 3/4	7 7/8	U-0308R	18	-
2 7/8	5 7/8	U-045R	14	-
2 7/8	6 7/8	U-041R	16	-
2 7/8	7 7/8	U-0408R	18	-
2 7/8	8 7/8	U-0409R	20	-
3 1/16	4 7/8	U-054R	12	-
3 1/16	5 7/8	U-055R	14	-
3 1/16	6 7/8	U-056R	16	-
3 1/16	7 7/8	U-058R	18	-
3 1/16	8 7/8	U-062R	20	-
3 1/16	9 7/8	U-0509R	22	-
3 1/4	7 3/4	U-060R	18	-
3 9/16	7 3/4	U-061R	18	-

### Square Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
1 1/2	3 1/4	U-1009S	8	-
1 1/2	4 1/4	U-1010S	10	-
1 1/2	5 1/4	U-1015S	12	-
1 3/16	3	U-012S	8	-
1 3/16	4	U-014S	10	-
1 3/16	5	U-015S	12	-
1 3/16	6	U-016S	14	-
1 3/16	7	U-013S	16	-
2 1/16	4	U-9089S	10	-
2 1/16	5	U-9090S	12	-
2 1/16	6	U-017S	14	-
2 1/16	7	U-018S	16	-

## 7/16" Diameter (A) Continued

### Square Bend Continued

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
2 9/16	4 3/4	U-038S	12	-
2 9/16	5 3/4	U-051S	14	-
2 9/16	6 3/4	U-053S	16	-

## 1/2" Diameter (A)

### Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
1 13/16	4 1/8	U-114R	10	-
1 13/16	5 1/8	U-115R	12	-
1 13/16	6 1/8	U-116R	14	-
2 3/8	5	U-2015R	12	-
2 3/8	6	U-2016R	14	-
2 3/8	7	U-2017R	16	-
2 1/2	7	U-121R	16	-
2 9/16	3	U-161R	8	-
2 9/16	4	U-160R	10	-
2 9/16	5	U-124R	12	-
2 9/16	6	U-139R	14	-
2 9/16	7	U-143R	16	-
2 9/16	8	U-135R	18	-
2 9/16	9	U-145R	20	-
2 9/16	10	U-134R	22	-
2 9/16	11	U-133R	24	-
2 3/4	6 7/8	U-153R	16	-
2 3/4	7 7/8	U-138R	18	-
2 3/4	8 7/8	U-140R	20	-
2 3/4	9 7/8	U-144R	22	-
2 7/8	4 7/8	U-155R	12	-
2 7/8	5 7/8	U-156R	14	-
2 7/8	6 7/8	U-157R	16	361-450
2 7/8	7 7/8	U-168R	18	-
2 7/8	8 7/8	U-149R	20	361-451
2 7/8	9 7/8	U-150R	22	361-452
2 7/8	10 7/8	U-1410R	24	-
3	5 3/4	U-1501R	14	-
3 1/16	6 3/4	U-1502R	16	361-425
3 1/16	7 3/4	U-1503R	18	-
3 1/16	8 3/4	U-9022R	20	-
3 1/8	6 3/4	U-146R	16	-
3 1/8	7 3/4	U-158R	18	-
3 1/8	8 3/4	U-159R	20	-
3 1/8	9 3/4	U-1510R	22	-
3 1/4	6 3/4	U-9126R	16	361-453
3 1/2	5 5/8	U-1509R	14	-
3 1/2	6 5/8	U-9202R	16	-
3 1/2	7 5/8	U-1507R	18	361-480
3 1/2	8 5/8	U-9203R	20	-
3 1/2	9 5/8	U-1511R	22	-
3 1/2	10 5/8	U-1512R	24	-

### Semi-Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
2 9/16	3 7/8	U-160SR	10	-
2 9/16	4 7/8	U-124SR	12	-
2 9/16	5 7/8	U-139SR	14	-
2 9/16	6 7/8	U-143SR	16	-

# U-Bolts

## 1/2" Diameter (A) Continued

### Semi-Round Bend Continued

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
2 9/16	7 7/8	U-135SR	18	-
2 9/16	8 7/8	U-145SR	20	-
2 9/16	9 7/8	U-134SR	22	-
2 9/16	10 7/8	U-133SR	24	-
2 9/16	11 7/8	U-152SR	26	-
2 9/16	12 7/8	U-136SR	28	-
2 9/16	13 7/8	U-137SR	30	-

### Square Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
1 1/2	3 1/8	U-1016S	8	-
1 1/2	4 1/8	U-1017S	10	-
1 1/2	5 1/8	U-9068S	12	-
1 13/16	4	U-113S	10	-
1 13/16	5	U-114S	12	-
1 13/16	6	U-115S	14	-
1 13/16	7	U-116S	16	-
1 13/16	8	U-118S	18	-
1 13/16	9	U-119S	20	-
1 13/16	10	U-099S	22	-
1 13/16	11	U-100S	24	-
2 1/16	3 7/8	U-1201S	10	-
2 1/16	4 7/8	U-122S	12	-
2 1/16	5 7/8	U-125S	14	-
2 1/16	6 7/8	U-126S	16	-
2 1/16	7 7/8	U-123S	18	-
2 1/16	8 7/8	U-9209S	20	-
2 1/16	9 7/8	U-130S	22	-
2 5/16	6 3/4	U-9324S	16	361-411
2 5/16	7 3/4	U-151S	18	-
2 5/16	8 3/4	U-148S	20	-
2 5/16	9 3/4	U-142S	22	-
2 9/16	4 5/8	U-124S	12	-
2 9/16	5 5/8	U-139S	14	-
2 9/16	6 5/8	U-143S	16	-
2 9/16	7 5/8	U-135S	18	361-375
2 9/16	8 5/8	U-145S	20	-
2 9/16	9 5/8	U-134S	22	-
2 9/16	10 5/8	U-133S	24	-
2 9/16	11 5/8	U-152S	26	-
2 9/16	12 5/8	U-136S	28	-
2 9/16	13 5/8	U-137S	30	-
3 1/16	3 1/2	U-1499S	10	-
3 1/16	4 1/2	U-1500S	12	-
3 1/16	5 1/2	U-1501S	14	-
3 1/16	6 1/2	U-1502S	16	-

### Special Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
2 9/16	6 7/8	U-143CR1	16	361-464
2 9/16	7 7/8	U-135CR1	18	361-465
2 9/16	10 7/8	U-133CR1	24	361-444

## 9/16" Diameter (A)

### Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
1 13/16	4 1/8	U-213R	10	-
1 13/16	5 1/8	U-214R	12	-
1 13/16	6 1/8	U-215R	14	-
2 3/8	5	U-2025R	12	-
2 3/8	6	U-2026R	14	-
2 3/8	7	U-2027R	16	-
2 1/2	4 7/8	U-231R	12	-
2 1/2	5 7/8	U-232R	14	-
2 1/2	6 7/8	U-233R	16	-
2 5/8	4 7/8	U-9322R	12	361-403
2 11/16	5 7/8	U-245R	14	361-404
2 7/8	6 7/8	U-9248R	16	361-406
2 3/4	7 7/8	U-241R	18	-
2 3/4	8 7/8	U-9023R	20	-
2 3/4	9 7/8	U-9185R	22	-
3 1/16	5 3/4	U-257R	14	-
3 1/16	6 3/4	U-263R	16	361-415
3 1/16	7 3/4	U-258R	18	361-414
3 1/16	8 3/4	U-254R	20	-
3 1/8	6 3/4	U-234R	16	-
3 1/8	7 3/4	U-235R	18	361-376
3 1/8	8 3/4	U-2308R	20	-
3 1/8	9 3/4	U-248R	22	-
3 1/8	10 3/4	U-230R	24	-
3 1/8	11 3/4	U-236R	26	361-377
3 1/8	12 3/4	U-253R	28	-
3 1/8	13 3/4	U-9200R	30	-
3 1/8	14 3/4	U-251R	32	-
3 1/4	7 3/4	U-286R	18	361-433
3 1/4	8 3/4	U-287R	20	361-427
3 1/4	9 3/4	U-259R	22	361-378
3 1/4	10 3/4	U-9042R	24	361-456
3 1/4	11 3/4	U-282R	26	-
3 1/4	12 3/4	U-2512R	28	-
3 1/4	13 3/4	U-2513R	30	-
3 3/8	7 5/8	U-2607R	18	-
3 3/8	8 5/8	U-9204R	20	-
3 3/8	9 5/8	U-9205R	22	-
3 3/8	10 5/8	U-9206R	24	-
3 3/8	11 5/8	U-9207R	26	-
3 3/8	12 5/8	U-272R	28	-
3 1/2	12 5/8	U-285R	28	361-429
3 5/8	7 5/8	U-267R	18	-
3 5/8	8 5/8	U-268R	20	361-431
3 5/8	9 5/8	U-269R	22	361-432
3 5/8	10 5/8	U-283R	24	-
3 5/8	11 5/8	U-271R	26	-

### Semi-Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
2 9/16	6 3/4	U-232SR	16	-
2 9/16	7 3/4	U-233SR	18	-
2 9/16	8 3/4	U-242SR	20	-
2 9/16	9 3/4	U-247SR	22	-
2 9/16	10 3/4	U-243SR	24	-
2 9/16	11 3/4	U-249SR	26	-
2 9/16	12 3/4	U-287SR	28	-
2 9/16	13 3/4	U-250SR	30	-

# U-Bolts

## 9/16" Diameter (A) Continued

### Square Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
1 13/16	4	U-213S	10	-
1 13/16	5	U-214S	12	-
1 13/16	6	U-215S	14	-
1 13/16	7	U-216S	16	-
2 1/16	4 7/8	U-224S	12	-
2 1/16	5 7/8	U-225S	14	-
2 1/16	6 7/8	U-223S	16	-
2 1/16	7 7/8	U-227S	18	-
2 1/16	8 7/8	U-9134S	20	-
2 5/16	7 3/4	U-237S	18	-
2 5/16	8 3/4	U-238S	20	-
2 5/16	9 3/4	U-239S	22	-
2 9/16	5 5/8	U-231S	14	-
2 9/16	6 5/8	U-232S	16	-
2 9/16	7 5/8	U-233S	18	361-368
2 9/16	8 5/8	U-242S	20	-
2 9/16	9 5/8	U-247S	22	361-408
2 9/16	10 5/8	U-243S	24	-
2 9/16	11 5/8	U-249S	26	361-379
2 9/16	12 5/8	U-280S	28	-
2 9/16	13 5/8	U-250S	30	-
2 9/16	14 5/8	U-252S	32	-
3 1/16	7 3/8	U-258S	18	-
3 1/16	8 3/8	U-254S	20	361-434
3 1/16	9 3/8	U-255S	22	361-435
3 1/16	10 3/8	U-2510S	24	-

### Special Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
2 9/16	6 3/4	U-232CR1	16	361-402
2 9/16	7 3/4	U-233CR1	18	361-463
2 9/16	8 3/4	U-242CR1	20	361-426
2 9/16	9 3/4	U-247CR1	22	361-462
2 9/16	10 3/4	U-243CR1	24	361-466
2 9/16	11 3/4	U-249CR1	26	361-428
2 9/16	12 3/4	U-287CR1	28	361-417
2 9/16	13 3/4	U-250CR1	30	361-441
2 9/16	14 3/4	U-252CR1	32	361-436
2 9/16	16 3/4	U-254CR1	34	361-437
2 9/16	5	U-231FR	14	361-312

## 5/8" Diameter (A)

### Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
2 3/4	7 3/4	U-9019R	18	-
2 3/4	8 3/4	U-9143R	20	-
2 3/4	9 3/4	U-9184R	22	-
2 3/4	10 3/4	U-9208R	24	-
2 3/4	11 3/4	U-9183R	26	-
2 7/8	6 3/4	U-366R	16	361-400 (8U)
2 7/8	7 3/4	U-367R	18	361-401 (8U)
3 1/16	6 3/4	U-3506R	16	361-397 (8U)
3 1/16	7 3/4	U-3507R	18	361-380 (8U)
3 1/16	8 3/4	U-3508R	20	-
3 1/16	9 3/4	U-3509R	22	-
3 1/16	10 3/4	U-3510R	24	361-381 (8U)

## 5/8" Diameter (A) Continued

### Round Bend Continued

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
3 1/16	11 3/4	U-3511R	26	-
3 1/16	12 3/4	U-3512R	28	-
3 1/16	13 3/4	U-3513R	30	-
3 1/16	14 3/4	U-3514R	32	-
3 3/16	7 5/8	U-3107R	18	-
3 3/16	8 5/8	U-3108R	20	-
3 3/16	9 5/8	U-3109R	22	-
3 3/16	10 5/8	U-3110R	24	-
3 1/4	7 5/8	U-9325R	18	361-398 (8U)
3 1/4	8 5/8	U-9326R	20	361-399 (8U)
3 1/4	9 5/8	U-9327R	22	361-418 (8U)
3 1/4	10 5/8	U-9328R	24	361-445 (8U)
3 1/4	11 5/8	U-9329R	26	361-440 (8U)
3 1/4	12 5/8	U-9330R	28	361-438 (8U)
3 1/4	13 5/8	U-9331R	30	361-439 (8U)
3 3/8	7 5/8	U-377R	18	-
3 3/8	8 5/8	U-378R	20	361-407 (8U)
3 3/8	9 5/8	U-3709R	22	-
3 3/8	10 5/8	U-3710R	24	361-382 (8U)
3 3/8	11 5/8	U-3711R	26	-
3 3/8	12 5/8	U-3712R	28	-
3 3/8	13 5/8	U-3713R	30	-
3 3/8	14 5/8	U-3714R	32	-
3 3/8	15 5/8	U-3715R	34	-
3 3/8	16 5/8	U-3716R	36	-
3 1/2	7 5/8	U-6107R	18	-
3 1/2	8 5/8	U-6108R	20	361-416 (8U)
3 1/2	9 5/8	U-6109R	22	361-383 (8U)
3 1/2	10 5/8	U-6110R	24	-
3 1/2	11 5/8	U-6111R	26	-
3 5/8	6 1/2	U-3806R	16	-
3 5/8	7 1/2	U-3807R	18	361-176 (8U)
3 5/8	8 1/2	U-3808R	20	361-457 (8U)
3 5/8	9 1/2	U-3809R	22	361-419 (8U)
3 5/8	10 1/2	U-3810R	24	361-384 (8U)
3 5/8	11 1/2	U-3811R	26	361-458 (8U)
3 5/8	12 1/2	U-3812R	28	361-385 (8U)
3 5/8	13 1/2	U-3813R	30	361-459 (8U)
3 3/4	9 1/2	U-8399R	22	-
3 3/4	10 1/2	U-8400R	24	-
3 3/4	11 1/2	U-8401R	26	-
3 3/4	12 1/2	U-8402R	28	-
4 1/16	9 3/8	U-3909R	22	-
4 1/16	10 3/8	U-3910R	24	-
4 1/16	11 3/8	U-3911R	26	-
4 1/16	12 3/8	U-3912R	28	-
4 1/16	13 3/8	U-3913R	30	-
4 1/16	14 3/8	U-3914R	32	-
4 1/16	15 3/8	U-3915R	34	-
5 1/8	8 1/8	U-4108R	20	361-240 (8U)

### Semi-Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
3 1/16	5 1/2	U-3505SR	14	-
3 1/16	6 1/2	U-3506SR	16	-
3 1/16	7 1/2	U-3507SR	18	-
3 1/16	8 1/2	U-3508SR	20	-

# U-Bolts

## 5/8" Diameter (A) Continued

### Square Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
2 1/16	5 7/8	U-325S	14	-
2 1/16	6 7/8	U-326S	16	-
2 1/16	7 7/8	U-327S	18	-
2 1/16	8 7/8	U-328S	20	-
2 1/16	9 7/8	U-329S	22	-
2 1/16	10 7/8	U-3210S	24	-
2 5/16	7 3/4	U-337S	18	361-412 (8U)
2 5/16	11 3/4	U-3311S	26	361-454 (8U)
2 5/16	12 3/4	U-3312S	28	-
2 5/16	13 3/4	U-3313S	30	-
2 5/16	14 3/4	U-3314S	32	-
2 5/16	15 3/4	U-3315S	34	361-455 (8U)
2 9/16	6 5/8	U-3406S	16	-
2 9/16	7 5/8	U-3407S	18	361-424 (8U)
2 9/16	8 5/8	U-3408S	20	361-423 (8U)
2 9/16	9 5/8	U-3409S	22	361-409 (8U)
2 9/16	10 5/8	U-3410S	24	361-386 (8U)
2 9/16	11 5/8	U-3411S	26	361-410 (8U)
2 9/16	12 5/8	U-3412S	28	361-413 (8U)
2 9/16	13 5/8	U-3413S	30	361-387 (8U)
2 9/16	14 5/8	U-3414S	32	-
2 9/16	15 5/8	U-3415S	34	-
2 9/16	16 5/8	U-3416S	36	361-388 (8U)
3 1/16	4 3/8	U-3504S	12	361-447 (8U)
3 1/16	5 3/8	U-3505S	14	361-448 (8U)
3 1/16	6 3/8	U-3506S	16	-
3 1/16	7 3/8	U-3507S	18	-
3 1/16	8 3/8	U-3508S	20	361-370 (8U)
3 1/16	9 3/8	U-3509S	22	361-440 (8U)
3 1/16	10 3/8	U-3510S	24	-
3 1/16	11 3/8	U-3511S	26	-
3 1/16	12 3/8	U-3512S	28	361-290 (8U)
3 1/16	13 3/8	U-3513S	30	-
3 1/16	14 3/8	U-3514S	32	-
5 1/8	9 3/8	U-4109S	24	361-244 (8U)

### Special Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
2 9/16	7 5/8	U-3407FR	18	361-314 (8U)
4 1/16	6 1/4	U-3906FR	16	-
4 1/16	7 1/4	U-3907FR	18	361-318 (8U)
4 1/16	8 1/4	U-3908FR	20	-
4 1/16	9 1/4	U-3909FR	22	361-320 (8U)
3 1/16	8 1/4	U-3908IR	20	361-274 (8U)
4 1/16	8 1/4	U-3907IR	20	361-302 (8U)
4 1/16	6 1/4	U-3905CR	16	-
4 1/16	7 1/4	U-3906CR	18	-
4 1/16	8 1/4	U-3907CR	20	361-389 (8U)

## 3/4" Diameter (A)

### Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
3 1/16	9 5/8	U-4609R	22	361-482 (8U)
3 1/16	11 5/8	U-4611R	26	361-541 (8U)
3 1/16	12 5/8	U-4612R	28	361-469 (8U)

## 3/4" Diameter (A) Continued

### Round Bend Continued

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
3 1/16	13 5/8	U-4613R	30	-
3 1/16	14 5/8	U-4614R	32	-
3 1/16	15 5/8	U-4615R	34	361-196 (8U)
3 1/16	16 5/8	U-4616R	36	-
3 1/16	17 5/8	U-4617R	38	-
3 1/16	18 5/8	U-4618R	40	361-262 (8U)
3 1/16	19 5/8	U-4619R	42	-
3 1/16	20 5/8	U-4620R	44	361-539 (8U)
3 9/16	8 1/2	U-4808R	20	-
3 9/16	9 1/2	U-4809R	22	-
3 9/16	10 1/2	U-4810R	24	361-186 (8U)
3 9/16	11 1/2	U-4811R	26	-
3 9/16	12 1/2	U-4812R	28	361-188 (8U)
4 1/16	8 3/8	U-4908R	20	-
4 1/16	9 3/8	U-4909R	22	-
4 1/16	10 3/8	U-4910R	24	-
4 1/16	11 3/8	U-4911R	26	361-190 (8U)
4 1/16	12 3/8	U-4912R	28	361-572 (8U)
4 1/16	13 3/8	U-4913R	30	-
4 1/16	14 3/8	U-4914R	32	361-564 (8U)
4 1/16	15 3/8	U-4915R	34	-
4 1/16	16 3/8	U-4916R	36	361-588 (8U)
4 1/16	17 3/8	U-4917R	38	-
4 1/16	18 3/8	U-4918R	40	361-182 (8U)
5 1/8	8	U-5108R	20	361-282 (8U)
5 1/8	9	U-5109R	22	-
5 1/8	10	U-5110R	24	-
5 1/8	11	U-5111R	26	-
5 1/8	12	U-5112R	28	-
5 1/8	13	U-5113R	30	-
5 1/8	14	U-5114R	32	-
5 1/8	15	U-5115R	34	-

### Semi-Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
2 9/16	12 5/8	U-4412SR	28	-
2 9/16	13 5/8	U-4413SR	30	-
2 9/16	14 5/8	U-4414SR	32	-
2 9/16	15 5/8	U-4415SR	34	-
2 9/16	16 5/8	U-4416SR	36	-
3 1/16	6 3/8	U-4606SR	16	-
3 1/16	7 3/8	U-4607SR	18	-
3 1/16	8 3/8	U-4608SR	20	-
3 1/16	9 3/8	U-4609SR	22	-
3 1/16	10 3/8	U-4610SR	24	-
3 1/16	11 3/8	U-4611SR	26	-
3 1/16	12 3/8	U-4612SR	28	-
3 1/16	13 3/8	U-4613SR	30	-
3 1/16	14 3/8	U-4614SR	32	-
3 1/16	15 3/8	U-4615SR	34	-
3 1/16	16 3/8	U-4616SR	36	-
3 1/16	17 3/8	U-4617SR	38	-
3 1/16	18 3/8	U-4618SR	40	361-270 (8U)
3 1/16	19 3/8	U-4619SR	42	-
3 1/16	20 3/8	U-4620SR	44	-
3 1/16	21 3/8	U-4621SR	46	-
3 1/16	22 3/8	U-4622SR	48	-



# U-Bolts

## 3/4" Diameter (A) Continued

### Semi-Round Bend Continued

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
3 1/16	23 3/8	U-4623SR	50	-
3 1/16	24 3/8	U-4624SR	52	-
3 9/16	9 1/4	U-4809SR	22	-
3 9/16	10 1/4	U-4810SR	24	-
3 9/16	11 1/4	U-4811SR	26	-
3 9/16	12 1/4	U-4812SR	28	-
3 9/16	13 1/4	U-4813SR	30	-
3 9/16	14 1/4	U-4814SR	32	-
3 9/16	15 1/4	U-4815SR	34	-
4 1/16	6	U-4905SR	16	-
4 1/16	7	U-4906SR	18	-
4 1/16	8	U-4907SR	20	-
4 1/16	9	U-4908SR	22	-
4 1/16	10	U-4909SR	24	-
4 1/16	11	U-4910SR	26	-
4 1/16	12	U-4911SR	28	-

### Square Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
2 9/16	12 1/2	U-4412S	28	361-422 (8U)
2 9/16	13 1/2	U-4413S	30	-
3 1/16	7 3/8	U-4607S	18	361-501 (8U)
3 1/16	8 3/8	U-4608S	20	-
3 1/16	9 3/8	U-4609S	22	-
3 1/16	10 3/8	U-4610S	24	-
3 1/16	11 3/8	U-4611S	26	-
3 1/16	12 3/8	U-4612S	28	361-292 (8U)
3 1/16	13 3/8	U-4613S	30	-
3 1/16	14 3/8	U-4614S	32	-
3 1/16	15 3/8	U-4615S	34	361-449 (8U)
3 1/16	16 3/8	U-4616S	36	-
3 1/16	17 3/8	U-4617S	38	-
3 1/16	18 3/8	U-4618S	40	361-272 (8U)
3 1/16	19 3/8	U-4619S	42	-
3 1/16	20 3/8	U-4620S	44	-
3 1/16	21 3/8	U-4621S	46	-
3 1/16	22 3/8	U-4622S	48	361-294 (8U)
3 9/16	5 1/8	U-4805S	14	361-204 (8U)
3 9/16	6 1/8	U-4806S	16	-
3 9/16	7 1/8	U-4807S	18	-
3 9/16	8 1/8	U-4808S	20	-
3 9/16	9 1/8	U-4809S	22	-
3 9/16	10 1/8	U-4810S	24	361-510 (8U)
3 9/16	11 1/8	U-4811S	26	-
3 9/16	12 1/8	U-4812S	28	361-214 (8U)
3 9/16	13 1/8	U-4813S	30	-
3 9/16	14 1/8	U-4814S	32	-
3 9/16	15 1/8	U-4815S	34	-
3 9/16	16 1/8	U-4816S	36	-
4 1/16	4 7/8	U-4904S	14	361-442 (8U)
4 1/16	5 7/8	U-4905S	16	361-161 (8U)
4 1/16	6 7/8	U-4906S	18	-
4 1/16	7 7/8	U-4907S	20	-
4 1/16	8 7/8	U-4908S	22	361-475 (8U)
4 1/16	9 7/8	U-4909S	24	361-569 (8U)
4 1/16	10 7/8	U-4910S	26	-

## 3/4" Diameter (A) Continued

### Square Bend Continued

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
4 1/16	11 7/8	U-4911S	28	-
4 1/16	12 7/8	U-4912S	30	361-200 (8U)
4 1/16	13 7/8	U-4913S	32	361-443 (8U)

### Special Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
3 1/16	14 1/2	U-4614FR	32	361-332 (8U)
3 1/16	15 1/2	U-4615FR	34	-
3 1/16	16 1/2	U-4616FR	36	361-334 (8U)
3 1/16	17 1/2	U-4617FR	38	-
3 1/16	18 1/2	U-4618FR	40	361-336 (8U)
4 1/16	7 1/4	U-4906FR	18	-
4 1/16	8 1/4	U-4907FR	20	-
4 1/16	9 1/4	U-4908FR	22	361-324 (8U)
4 1/16	10 1/4	U-4909FR	24	361-316 (8U)
4 1/16	11 1/4	U-4910FR	26	-
4 1/16	12 1/4	U-4911FR	28	361-322 (8U)
4 1/16	11 1/8	U-4910HS	26	361-206 (8U)
3 9/16	13 3/8	U-4613IR	30	361-405 (8U)
3 9/16	13 1/4	U-4813IR	30	361-481 (8U)
3 9/16	15 1/4	U-4815IR	34	361-308 (8U)
4 1/16	7	U-4906IR	18	-
4 1/16	8	U-4907IR	20	-
4 1/16	9	U-4908IR	22	-
4 1/16	10	U-4909IR	24	361-216 (8U)
4 1/16	11	U-4910IR	26	-
3 1/16	23 3/8	U-4623IR2	50	361-298 (8U)
4 1/16	12	U-4911PR	28	361-474 (8U)
3 9/16	12 1/4	U-4812PR2	28	361-198 (8U)
2 9/16	14 5/8	U-4414CR	32	361-352 (8U)
2 9/16	15 5/8	U-4415CR	34	-
2 9/16	16 5/8	U-4416CR	36	361-354 (8U)
4 1/16	6 1/4	U-4905CR	16	-
4 1/16	7 1/4	U-4906CR	18	-
4 1/16	8 1/4	U-4907CR	20	361-390 (8U)
4 1/16	9 1/4	U-4908CR	22	-
2 9/16	11 5/8	U-4411CR1	26	361-420 (8U)
2 9/16	12 5/8	U-4412CR1	28	361-460 (8U)
2 9/16	13 5/8	U-4413CR1	30	361-421 (8U)
3 1/16	16 3/8	U-4616CR1	36	361-356 (8U)
3 1/16	17 3/8	U-4617CR1	38	-
3 1/16	18 3/8	U-4618CR1	40	361-358 (8U)
3 1/16	19 3/8	U-4619CR1	42	-
3 1/16	20 3/8	U-4620CR1	44	-
3 1/16	21 3/8	U-4621CR1	46	-
3 1/16	22 3/8	U-4622CR1	48	-
3 1/16	23 3/8	U-4623CR1	50	361-360 (8U)
3 1/16	9 3/8	U-4609CR2	22	361-372 (8U)
3 1/16	15 1/2	U-4615CR3	34	-
3 1/16	16 1/2	U-4616CR3	36	-
3 1/16	17 1/2	U-4617CR3	38	-
3 1/16	18 1/2	U-4618CR3	40	361-391 (8U)
3 1/16	19 1/2	U-4619CR3	42	-

# U-Bolts

## 7/8" Diameter (A)

### Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
3 1/16	7 1/2	U-5307R	18	-
3 1/16	8 1/2	U-5308R	20	-
3 1/16	9 1/2	U-5309R	22	-
3 1/16	10 1/2	U-5310R	24	-
3 1/16	11 1/2	U-5311R	26	361-505 (8U)
3 1/16	12 1/2	U-5312R	28	361-248 (5U)
3 1/16	13 1/2	U-5313R	30	361-566 (8U)
3 1/16	14 1/2	U-5314R	32	361-218 (5U)
3 1/16	14 1/2	U-5314R	32	361-374 (8U)
3 1/16	15 1/2	U-5315R	34	361-350 (8U)
3 1/16	16 1/2	U-5316R	36	361-168 (8U)
3 1/16	17 1/2	U-5317R	38	-
3 1/16	18 1/2	U-5318R	40	361-250 (5U)
3 1/16	19 1/2	U-5319R	42	361-340 (8U)
3 1/16	20 1/2	U-5320R	44	-
3 1/16	21 1/2	U-5321R	46	-
3 1/16	22 1/2	U-5322R	48	361-342 (8U)
3 9/16	12 3/8	U-5412R	28	361-192 (8U)
3 9/16	13 3/8	U-5413R	30	361-172 (8U)
3 9/16	14 3/8	U-5414R	32	361-490 (8U)
3 9/16	15 3/8	U-5415R	34	361-174 (8U)
3 9/16	16 3/8	U-5416R	36	361-582 (8U)
3 9/16	18 3/8	U-5418R	40	361-491 (8U)
4 1/16	9 1/4	U-5509R	22	-
4 1/16	10 1/4	U-5510R	24	-
4 1/16	11 1/4	U-5511R	26	-
4 1/16	12 1/4	U-5512R	28	361-194 (8U)
4 1/16	13 1/4	U-5513R	30	-
4 1/16	14 1/4	U-5514R	32	-
4 1/16	15 1/4	U-5515R	34	-
4 1/16	16 1/4	U-5516R	36	361-178 (8U)
4 1/16	17 1/4	U-5517R	38	-
4 1/16	18 1/4	U-5518R	40	361-184 (8U)
5 1/8	8	U-5708R	20	361-473 (8U)
5 1/8	9 7/8	U-5710R	24	361-471 (8U)
5 1/8	10 7/8	U-5711R	26	361-472 (8U)
5 1/8	11 7/8	U-5712R	28	361-256 (5U)
5 1/8	11 7/8	U-5712R	28	361-258 (8U)
5 1/8	12 7/8	U-5713R	30	361-559 (8U)
5 1/8	13 7/8	U-5714R	32	361-252 (5U)
5 1/8	13 7/8	U-5714R	32	361-254 (8U)
5 1/8	14 7/8	U-5715R	34	-
5 1/8	15 7/8	U-5716R	36	361-558 (8U)
5 1/8	16 7/8	U-5717R	38	-
5 1/8	17 7/8	U-5718R	40	361-509 (8U)

### Semi-Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
3 1/16	13 3/8	U-5313SR	30	361-567 (8U)
3 1/16	14 3/8	U-5314SR	32	-
3 1/16	15 3/8	U-5315SR	34	-
3 1/16	16 3/8	U-5316SR	36	-
3 1/16	17 3/8	U-5317SR	38	-
3 1/16	18 3/8	U-5318SR	40	361-557 (8U)
3 1/16	19 3/8	U-5319SR	42	-
3 1/16	20 3/8	U-5320SR	44	-
3 1/16	21 3/8	U-5321SR	46	-

## 7/8" Diameter (A) Continued

### Semi-Round Bend Continued

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
3 1/16	22 3/8	U-5322SR	48	-
3 9/16	8 1/4	U-5408SR	20	361-524 (8U)
3 9/16	9 1/4	U-5409SR	22	-
3 9/16	10 1/4	U-5410SR	24	-
3 9/16	11 1/4	U-5411SR	26	-
3 9/16	12 1/4	U-5412SR	28	-
3 9/16	14 1/4	U-5414SR	32	-
4 1/16	9	U-5508SR	22	-
4 1/16	10	U-5509SR	24	-
4 1/16	11	U-5510SR	26	-
4 1/16	12	U-5511SR	28	-

### Square Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
3 1/16	18 1/4	U-5318S	40	361-296 (8U)
3 1/16	19 1/4	U-5319S	42	-
3 1/16	20 1/4	U-5320S	44	-
3 1/16	21 1/4	U-5321S	46	-
3 9/16	12	U-5411S	28	361-467 (8U)
3 9/16	14	U-5413S	32	-
3 9/16	15	U-5414S	34	-
3 9/16	16	U-5415S	36	361-506 (8U)
4 1/16	8 3/4	U-5508S	22	-
4 1/16	9 3/4	U-5509S	24	-
4 1/16	10 3/4	U-5510S	26	-
4 1/16	11 3/4	U-5511S	28	-
4 1/16	12 3/4	U-5512S	30	361-507 (8U)
4 1/16	13 3/4	U-5513S	32	361-608 (8U)
4 1/16	14 3/4	U-5514S	34	-
4 1/16	15 3/4	U-5515S	36	-
4 1/16	16 3/4	U-5516S	38	361-210 (8U)
4 9/16	14 1/2	U-5614S	34	-
4 9/16	15 1/2	U-5615S	36	-
4 9/16	16 1/2	U-5616S	38	361-525 (8U)

### Special Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
3 1/16	16	U-5316FR	36	361-326 (8U)
3 1/16	17	U-5317FR	38	-
3 1/16	18	U-5318FR	40	361-328 (8U)
3 1/16	19	U-5319FR	42	361-591 (8U)
3 1/16	20	U-5320FR	44	361-330 (8U)
4 1/16	8	U-5508FR	20	-
4 1/16	9	U-5509FR	22	-
4 1/16	10	U-5510FR	24	-
4 1/16	11	U-5511FR	26	-
4 1/16	12	U-5512FR	28	361-278 (8U)
5 1/4	15	U-9336FS	36	361-468 (8U)
4 1/16	9	U-5508HS	22	361-100 (8U)
4 1/16	10	U-5509HS	24	-
4 1/16	11	U-5510HS	26	361-208 (8U)
3 1/2	12	U-5412IR	28	361-192 (8U)
3 9/16	15	U-5415IR	34	361-310 (8U)
3 9/16	17	U-5417PR	38	361-202 (8U)
3 1/16	18	U-5318CR1	40	361-362 (8U)
3 1/16	19	U-5319CR1	42	-
3 1/16	20	U-5320CR1	44	361-364 (8U)

# U-Bolts

## 7/8" Diameter (A) Continued

### Special Bend Continued

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
3 1/16	21	U-5321CR1	46	-
3 1/16	22	U-5322CR1	48	-
3 1/16	23	U-5323CR1	50	361-366 (8U)
3 1/16	16	U-5316CR3	36	-
3 1/16	17	U-5317CR3	38	-
3 1/16	18	U-5318CR3	40	-
3 1/16	19	U-5319CR3	42	-
3 1/16	20	U-5320CR3	44	361-392 (8U)

## 1" Diameter (A)

### Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
5 1/8	10 7/8	U-9053R	26	361-246
6 3/8	12 1/2	U-9063R	30	361-232

### Semi-Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
4 1/16	12 7/8	U-7012SR	30	-
4 1/16	13 7/8	U-7013SR	32	-
4 1/16	14 7/8	U-7014SR	34	-
4 1/16	15 7/8	U-7015SR	36	-

### Square Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
3 1/16	16 1/4	U-6716S	36	-
3 1/16	17 1/4	U-6717S	38	-
3 1/16	18 1/4	U-6718S	40	-
5 9/16	14	U-9082S	34	361-260

### Special Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
4 1/16	15 7/8	U-7015PR	36	361-167

## 1 1/8" Diameter (A)

### Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
4 9/16	15 7/8	U-7416R	36	-
5 11/16	13 1/2	U-73135R	32	-
5 11/16	14 1/2	U-73145R	34	-
5 11/16	15 1/2	U-73155R	36	361-234
5 11/16	16 1/2	U-73165R	38	-

### Semi-Round Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
4 1/16	12 7/8	U-7212SR	30	-
4 1/16	13 7/8	U-7213SR	32	-

### Square Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
5 1/8	13 1/8	U-8312S	32	361-603
5 1/8	14 1/8	U-8313S	34	361-396

## 1 1/8" Diameter (A) Continued

### Square Bend Continued

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
5 1/8	15 1/8	U-8314S	36	361-612
5 1/8	16 1/8	U-8315S	38	361-280
5 1/8	17 1/8	U-8316S	40	-
5 11/16	11	U-7311S	28	361-560
5 11/16	12	U-7312S	30	361-563
5 11/16	13	U-7313S	32	361-236
5 11/16	14	U-7314S	34	-
5 11/16	15	U-7315S	36	361-238

### Special Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
4 1/16	12 5/8	U-7211MR	28	-
4 1/16	13 5/8	U-7212MR	30	361-212
4 1/16	14 5/8	U-7213MR	32	-
4 1/16	15 5/8	U-7214MR	34	-

## 1 1/4" Diameter (A)


### Square Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
4 1/16	12 5/8	U-75125S	30	-
4 1/16	13 5/8	U-75135S	32	361-142
4 1/16	14 5/8	U-75145S	34	361-140
4 1/16	15 5/8	U-75155S	36	361-124
4 1/16	16 5/8	U-75165S	38	361-126
4 1/16	17 5/8	U-75175S	40	361-130
4 1/16	18 5/8	U-75185S	42	361-138
4 1/16	19 5/8	U-75195S	44	-
5 1/16	14 5/8	U-7714S	34	-
5 1/16	15 5/8	U-7715S	36	-
5 1/16	16 5/8	U-7716S	38	-
5 1/16	17 5/8	U-7717S	40	-
6 1/16	20 5/8	U-7820S	48	-
6 1/16	21 5/8	U-7821S	50	-
6 1/16	22 5/8	U-7822S	52	-
6 1/16	23 5/8	U-7823S	54	-

### Special Bend

Width (B)	Length (C)	U-Bolt Part No.	Rod Length	U-Bolt Kit No.
4 1/16	12 7/8	U-76125MR	30	-
4 1/16	13 7/8	U-76135MR	32	361-146
4 1/16	14 7/8	U-76145MR	34	361-110
4 1/16	15 7/8	U-76155MR	36	361-112
4 1/16	16 7/8	U-76165MR	38	361-114
4 1/16	17 7/8	U-76175MR	40	361-116
4 1/16	18 7/8	U-76185MR	42	361-118
4 1/16	19 7/8	U-76195MR	44	361-120
5 1/16	12 3/8	U-7712MR	30	-
5 1/16	13 3/8	U-7713MR	32	-
5 1/16	14 3/8	U-7714MR	34	361-150
5 1/16	15 3/8	U-7715MR	36	-
5 1/16	16 3/8	U-7716MR	38	361-152
5 1/16	17 3/8	U-7717MR	40	361-154
5 1/16	18 3/8	U-7718MR	42	-

# Forged Top U-Bolts



## Round Bend

Diameter (A)	Width (B)	Length (C)	Thread Length (D)	Part Number	Application
7/8	3 11/16	22	4 1/2	<b>361-606</b>	Mack - Rear Single Axle
7/8	3 11/16	24	4 1/2	<b>361-607</b>	Mack - Rear Single Axle
7/8	6 5/8	8 1/2	2 1/2	<b>361-159</b>	Hutch Air Suspension
1	3 1/16	17	6 1/2	<b>361-264</b>	Navistar - Rear Single Axle
1	3 1/16	21	5	<b>361-266</b>	Navistar - Rear Single Axle
1	3 1/16	23	5	<b>361-493</b>	Navistar - Rear Single Axle
1	3 1/16	26 1/2	6 1/2	<b>361-268</b>	Navistar - Rear Single Axle
1	6 5/16	9	2 1/4	<b>361-224</b>	Neway
1	6 5/16	10 1/2	3 1/2	<b>361-226</b>	Neway
1	6 5/16	11	2 1/4	<b>361-228</b>	Neway
1	6 5/16	12 1/2	3 1/2	<b>361-230</b>	Neway


## Semi-Round Bend

Diameter (A)	Width (B)	Length (C)	Thread Length (D)	Part Number	Application
20 (.787)	81 (3.189)	500 (19.685)	65 (2.559)	<b>361-394</b>	Mack Midliner (Metric)
1	3 9/16	15 1/2	5	<b>361-393</b>	Peterbilt - Low Air Leaf
1 1/4	5 1/16	10	4	<b>8U-7710SR</b>	Rockwell - Six Rod
1 1/4	5 1/16	12	4	<b>8U-7712SR</b>	Rockwell - Six Rod

## Square Bend

Diameter (A)	Width (B)	Length (C)	Thread Length (D)	Part Number	Application
3/4	4 1/16	3 1/4	1 1/2	<b>361-180</b>	Freightliner - Air Suspension
1	3 1/16	15	3 1/2	<b>8U-F9920S</b>	Misc. Fire Trucks
1	5 1/8	13	4 3/4	<b>361-476</b>	Fruehauf
1	6 5/16	10 1/2	3 3/4	<b>361-220</b>	Neway
1	6 5/16	12 1/2	3 3/4	<b>361-222</b>	Neway
1 1/8	5 1/8	12 1/4	5	<b>361-478</b>	Fruehauf
1 1/8	5 1/8	13 1/2	4	<b>361-338</b>	Fruehauf - Single Point

# Spring Accessories




## Center Bolts with Nuts Fillister Head, Fine Threads

Part No.	Bolt Size		Head Size		Thread Length
	Dia.	Len.	Dia.	Hght.	
CB-51625	5/16	2 1/2	1/2	3/8	2
CB-51630	5/16	3	1/2	3/8	2 1/2
CB-51635	5/16	3 1/2	1/2	3/8	2 1/2
CB-51640	5/16	4	1/2	3/8	2 1/2
CB-51650	5/16	5	1/2	3/8	4
CB-51660	5/16	6	1/2	3/8	4
CB-3830	3/8	3	9/16	5/16	2 1/2
CB-3835	3/8	3 1/2	9/16	5/16	2 1/2
CB-3840	3/8	4	9/16	5/16	2 1/2
CB-3850	3/8	5	9/16	5/16	4
CB-3860	3/8	6	9/16	5/16	4
CB-3880	3/8	8	9/16	5/16	6
CB-3810	3/8	10	9/16	5/16	9 1/2
CB-3812	3/8	12	9/16	5/16	9 1/2
CB-7640	7/16	4	5/8	3/8	3
CB-7650	7/16	5	5/8	3/8	4
CB-7660	7/16	6	5/8	3/8	4
CB-7680	7/16	8	5/8	3/8	5 1/2
CB-7610	7/16	10	5/8	3/8	9 1/2
CB-7612	7/16	12	5/8	3/8	9 1/2
CB-1540	1/2	4	3/4	7/16	3
CB-1550	1/2	5	3/4	7/16	4
CB-1560	1/2	6	3/4	7/16	4
CB-1570	1/2	7	3/4	7/16	5 1/2
CB-1580	1/2	8	3/4	7/16	5 1/2
CB-1510	1/2	10	3/4	7/16	9 1/2
CB-1512	1/2	12	3/4	7/16	9 1/2

## Special Center Bolts with Nuts Fillister Head, Collar Head, Spherical Head

Part No.	Bolt Size		Head Size		Thread Length
	Dia.	Len.	Dia.	Hght.	
SCB-115	5/16	3	1/2	1/4	2 1/2
SCB-145	5/16	3 1/2	Spherical Head	-	2 3/4
SCB-205	3/8	4	1/2	3/8	2 5/8
SCB-195	1/2	6	5/8	5/8	4
SCB-220	1/2	6	3/4	3/4	4
SCB-225	1/2	8	3/4	3/4	6
SCB-230	1/2	10	3/4	3/4	9 1/2
SCB-245	1/2	12	3/4	3/4	10



## Grade 5 Center Bolts with Nuts

Part No.	Bolt Size		Head Size		Thread Length
	Dia.	Len.	Dia.	Hght.	
CB5-1580	1/2	8	3/4	7/16	5 1/2
CB5-1510	1/2	10	3/4	7/16	9 1/2
CB5-1512	1/2	12	3/4	7/16	9 1/2

## Center Bolts with Nuts Special Applications

Part No.	Bolt Size		Head Size		Thread Length	Remarks
	Dia.	Len.	Dia.	Hght.		
SCB-267	7/16	4	3/4 Cone Head			Ford 4x4
SCB-260	3/4	4 3/4	1 1/8 Hex w/Tab	-	1 3/4	Peterbilt Airleaf, Air Trac
CBK-120	3/4	6 3/4	1	5/8	2	Fruehauf M2
CBK-118	1	8 3/4	1 5/8	25/32	2 1/2	Euclid

# Spring Accessories



CBN-xxx



Type 1




Type 2

## Center Bolt Nuts Grade 5, Fine Thread


Part No.	Size (Dia.xThread)	Remarks
CBN-370	5/16 - 24	5/8" Across Flats
CBN-375	3/8 - 24	
CBN-380	7/16 - 20	
CBN-381	7/16 - 20	
CBN-385	1/2 - 20	
CBN-390	5/8 - 18	

## Special Purpose Washers Cup Washers

Part No.	Type	O.D.	I.D.	Thickness	Remarks
CW-20	2	1 3/4	1/2	7/16	Hendrickson RU, RUE, U, UE Series
CW-44	1	1 1/8	1/2	13/32	Neway
CW-45	1	1 5/16	5/8	5/16	Replaces Mack No. 35AX1012



Type 1



Type 2




Type 3

## Center Bolt Head Lengtheners and Sleeves

Part No.	O.D.	I.D. (Bolt Dia.)	Height	Type	Collar Diameter	Remarks
CBS-75	5/8	5/16	2 1/32	2	1 1/4	Replaces Chrysler No. 2403462
CBS-100	5/8	3/8	1 1/16	2	1	
CBS-60	3/4	3/8	7/16	1	-	
CBS-50	7/8	7/16	1 1/16	1	-	Replaces Mack No. 8QD171
SCBL-380	9/16	3/8	3/16	3	-	
SCBL-716	5/8	7/16	3/16	3	-	
SCBL-121	3/4	1/2	3/16	3	-	
SCBL-120	3/4	1/2	1/4	3	-	


# Spring Accessories



## Bi-Metal Bushings

Steel Backed Bronze, Ball Indented with Grease Grooves

Part No.	O.D. (A)	I.D. (B)	Length (C)
LHG-BM	1 1/8	7/8	3
NJG-BM	1 1/4	1	3
NJI-BM	1 1/4	1	3 1/2
NJK-BM	1 1/4	1	4
PLG-BM	1 3/8	1 1/8	3
PLK-BM	1 3/8	1 1/8	4
RNG-BM	1 1/2	1 1/4	3
RNI-BM	1 1/2	1 1/4	3 1/2
RNK-BM	1 1/2	1 1/4	4
TPK-BM	1 5/8	1 3/8	4
UQG-BM	1 11/16	1 27/64	3



## Bronze Bushings

Part No.	O.D. (A)	I.D. (B)	Length (C)
CAA	9/16	7/16	1 1/2
ECA	11/16	9/16	1 1/2
ECB	11/16	9/16	1 3/4
FBB	3/4	1/2	1 3/4
FCB	3/4	9/16	1 3/4
FCD	3/4	9/16	2 1/4
FDB	3/4	5/8	1 3/4
FDC	3/4	5/8	2
GCB	13/16	9/16	1 3/4
GCC	13/16	9/16	2
GDB	13/16	5/8	1 3/4
GDC	13/16	5/8	2
HDB	7/8	5/8	1 3/4
HDC	7/8	5/8	2
HDD	7/8	5/8	2 1/4
HDE	7/8	5/8	2 1/2
HEB	7/8	11/16	1 3/4
HEC	7/8	11/16	2
HFB	7/8	3/4	1 3/4
IEB	15/16	11/16	1 3/4
IEC	15/16	11/16	2
IED	15/16	11/16	2 1/4
IEE	15/16	11/16	2 1/2
IFB	15/16	3/4	1 3/4
IFC	15/16	3/4	2
IFD	15/16	3/4	2 1/4
IFE	15/16	3/4	2 1/2


## Bronze Bushings Continued

Part No.	O.D. (A)	I.D. (B)	Length (C)
JFB	1	3/4	1 3/4
JFC	1	3/4	2
JFD	1	3/4	2 1/4
JFE	1	3/4	2 1/2
JFG	1	3/4	3
KGC	1 1/16	13/16	2
KHB	1 1/16	7/8	1 3/4
KHC	1 1/16	7/8	2
KHD	1 1/16	7/8	2 1/4
KHE	1 1/16	7/8	2 1/2
LFG	1 1/8	3/4	3
LHB	1 1/8	7/8	1 3/4
LHC	1 1/8	7/8	2
LHD	1 1/8	7/8	2 1/4
LHE	1 1/8	7/8	2 1/2
LHG	1 1/8	7/8	3
LHI	1 1/8	7/8	3 1/2
LID	1 1/8	15/16	2 1/4
MHE	1 3/16	7/8	2 1/2
MJC	1 3/16	1	2
NHE	1 1/4	7/8	2 1/2
NHG	1 1/4	7/8	3
NJC	1 1/4	1	2
NJD	1 1/4	1	2 1/4
NJE	1 1/4	1	2 1/2
NJG	1 1/4	1	3
NJI	1 1/4	1	3 1/2
NJK	1 1/4	1	4
OJG	1 5/16	1	3
OLG	1 5/16	1 1/8	3
PJG	1 3/8	1	3
PJI	1 3/8	1	3 1/2
PLE	1 3/8	1 1/8	2 1/2
PLG	1 3/8	1 1/8	3
PLI	1 3/8	1 1/8	3 1/2
PLK	1 3/8	1 1/8	4
QLG	1 7/16	1 1/8	3
QLI	1 7/16	1 1/8	3 1/2
RFC	1 1/2	3/4	2
RJK	1 1/2	1	4
RLC	1 1/2	1 1/8	2
RNE	1 1/2	1 1/4	2 1/2
RNG	1 1/2	1 1/4	3
RNI	1 1/2	1 1/4	3 1/2
RNK	1 1/2	1 1/4	4
RNO	1 1/2	1 1/4	5
RPK	1 1/2	1 3/8	4
SMK	1 9/16	1 3/16	4
SNG	1 9/16	1 1/4	3
SNK	1 9/16	1 1/4	4
TNG	1 5/8	1 1/4	3
TNI	1 5/8	1 1/4	3 1/2
TNK	1 5/8	1 1/4	4
TOO	1 5/8	1 5/16	5
TPG	1 5/8	1 3/8	3
TPI	1 5/8	1 3/8	3 1/2
TPK	1 5/8	1 3/8	4

# Spring Accessories

## Bronze Bushings Continued

Part No.	O.D. (A)	I.D. (B)	Length (C)
UNG	1 11/16	1 1/4	3
UOK	1 11/16	1 5/16	4
UQG	1 11/16	1 27/64	3
UQK	1 11/16	1 27/64	4
VNO	1 3/4	1 1/4	5
VPE	1 3/4	1 3/8	2 1/2
VPK	1 3/4	1 3/8	2 1/2
VPO	1 3/4	1 3/8	5
VRG	1 3/4	1 1/2	3
VRK	1 3/4	1 1/2	4
WSI	1 13/16	1 9/16	3 1/2
XRE	1 7/8	1 1/2	2 1/2
XRG	1 7/8	1 1/2	3
XRI	1 7/8	1 1/2	3 1/2
XRK	1 7/8	1 1/2	4
XSI	1 7/8	1 9/16	3 1/2
XTG	1 7/8	1 5/8	3
ZVG	2	1 3/4	3
ZVI	2	1 3/4	3 1/2
BBVK	2 1/8	1 3/4	4



## Bronze Bushings - Mack Spring Eye With Grease Grooves


Part No.	O.D. (A)	I.D. (B)	Length (C)
MB-2	1 1/2	1 1/4	2 11/16
MB-1	1 1/2	1 1/4	3 3/16

## Metric Bronze Bushings With Grease Grooves

Part No.	O.D. (A)	I.D. (B)	Length (C)
M7-3024	30mm (1.181)	24mm (0.945)	70mm (2.75)
M8-3024	30mm (1.181)	24mm (0.945)	80mm (3.15)
M7-3025	30mm (1.181)	25mm (0.984)	70mm (2.75)
M8-3225	32mm (1.260)	25mm (0.984)	80mm (3.15)
M7-3428	34mm (1.339)	28mm (1.102)	70mm (2.75)
M8-3428	34mm (1.339)	28mm (1.102)	80mm (3.15)
M8-3530	35mm (1.378)	30mm (1.181)	80mm (3.15)
M8-3625	36mm (1.417)	25mm (0.984)	80mm (3.15)
M7-3630	36mm (1.417)	30mm (1.181)	70mm (2.75)
M8-3630	36mm (1.417)	30mm (1.181)	80mm (3.15)
M9-3630	36mm (1.417)	30mm (1.181)	90mm (3.54)
M8-3830	38mm (1.496)	30mm (1.181)	80mm (3.15)
M8-3832	38mm (1.496)	32mm (1.260)	80mm (3.15)
M10-3832	38mm (1.496)	32mm (1.260)	100mm (3.94)
M8-4030	40mm (1.575)	30mm (1.181)	80mm (3.15)
M10-4030	40mm (1.575)	30mm (1.181)	100mm (3.94)
M10-4032	40mm (1.575)	32mm (1.260)	100mm (3.94)
M9-4235	42mm (1.654)	35mm (1.378)	90mm (3.54)

## Threaded Bushings

Part No.	O.D. (A)	I.D. (B)	Length (C)
TB-6	7/8	11/16 - 11	1 3/4
TB-7	7/8	11/16 - 11	2
TB-64	7/8	11/16 - 11	2 1/4
TB-67	7/8	11/16 - 11	2 1/2
TB-27	7/8	Unknown	2 1/2
TB-65	1 1/8	11 - 60 Deg.	2 1/2
TB-73	1 1/2	1 1/4 - 7	4
TB-82	1 1/2	M32 x 5/32	3 15/16
TB-70	1 1/2	1 1/4 - 8	3 1/2
TB-35	1 5/8	5 - 90 Deg.	3
TB-71	1 5/8	1 1/4 - 8	3 1/2
TB-69	1 3/4	1 3/8 - 6	3 1/2
TB-79	1 3/4	M32 x 5/32	3 7/8
TB-68	1 3/4 (1.753)	1 3/8 - 6	4
TB-26	1 3/4 (1.764)	1 3/8 - 6	4
TB-33	1 13/16	6 - 60 Deg.	4 1/4
TB-76	36mm (1.417)	M27 x 4.0	90mm (3.54)
TB-77	44.5mm (1.753)	M32 x 4.0	101mm (3.98)
TB-75	45mm (1.772)	M36 x 3.0	80mm (3.15)
TB-78	45mm (1.772)	M32 x 4.0	105mm (4.13)
TB-80	45mm (1.772)	M32 x 4.0 (Plastic)	105mm (4.13)
TB-74	45mm (1.772)	M36 x 3.0	105mm (4.13)
TB-72	48mm (1.890)	1 3/8 - 6	100mm (3.94)
TB-81	52.8mm (2.078)	M32 x 4.0	101mm (3.98)




## Nylon Bushings


Part No.	O.D. (A)	I.D. (B)	Length (C)
NB-3	3/4	9/16	1 3/4
NB-4	3/4	9/16	2
NB-10	1 1/16	1/2	1 3/4
NB-1	1 1/16	9/16	1 3/4
NB-2	1 1/16	9/16	2
NB-11	7/8	1/2	1 3/4
NB-5	7/8	9/16	1 3/4
NB-9	1	3/4	1 3/4
NB-080	1 1/32	9/16	1 3/4
NB-8	1 9/32	9/16	1 1/32



# Spring Accessories



Type 1 - Crown



Type 2 - Flat

## Harris Rubber Bushings

Part No.	Size					Remarks	Make	End Type
	A	B	C	D	E			
HB-392	7/8	1 3/16	1 5/16	9/16	1 1/8	For 1 3/4" Wide spring	International	Crown
HB-735	7/8	7/8	1 1/8	1/2	1	For 1 3/4" Wide spring	Multiple use	Flat
HB-850	7/8	7/8	1 1/4	1/2	1	For 1 3/4" Wide spring	AMC	Crown
HB-860	7/8	1	1 3/8	1/2	1	For 2" Wide spring	Chevrolet, Ford, Mercury, Ford Truck	Crown
HB-891	7/8	1 1/4	1 3/4	1/2	1	For 2 1/2" Wide spring	Dodge, Plymouth	Crown
HB-832	7/8	1 3/8	1 3/4	1/2	1	For 2 1/2" Wide spring	Mercury	Crown
HB-987	7/8	1 3/8	1 3/4	1/2	1	For 2 1/2" Wide spring	Unknown	Crown
HB-851	1	7/8	1 5/16	9/16	1 1/8	For 1 3/4" Wide spring	International, Jeep	Crown
HB-745	1	1 5/16	1 3/16	9/16	1 1/8	For 2" Wide spring	Jeep	Flat
HB-389	1	1	1 7/16	1/2	1 1/4	For 2" Wide spring	Ford, Mercury	Crown
HB-1001	1	1	1 7/16	1/2	1 1/4	For 2" Wide spring	Unknown	Crown
HB-1010	1	1	1 7/16	1/2	1 1/4	For 2" Wide spring	Unknown	Crown
HB-861	1	1	1 7/16	9/16	1 1/8	For 2" Wide spring	Lincoln, Mercury	Crown
HB-998	1	1 1/16	1 1/2	1/2	1 1/4	For 2" Wide spring	Jeep	Crown
HB-831	1	1 1/4	1 11/16	1/2	1 1/8	For 2 1/2" Wide spring	Ford, Lincoln, Mercury, Jeep	Crown
HB-881	1	1 1/4	1 11/16	1/2	1 1/8	For 2 1/2" Wide spring	Ford	Crown
HB-387	1	1 1/4	1 11/16	1/2	1 1/4	For 2 1/2" Wide spring	AMC, Ford, Mercury	Crown
HB-1009	1	1 1/4	1 11/16	1/2	1 1/4	For 2 1/2" Wide spring	Unknown	Crown
HB-889	1	1 1/4	1 3/4	9/16	1 1/4	For 2 1/2" Wide spring	Chrysler, Dodge, Plymouth, Ford, Dodge Truck, International, Jeep	Crown
HB-534	1	1 1/4	1 13/16	1/2	1 1/8	For 2 1/2" Wide spring	Ford	Crown
HB-994	1	1 1/4	1 13/16	1/2	1 1/8	For 2 1/2" Wide spring	Unknown	Crown
HB-1059	1	1 5/16	1 3/4	1/2	1 1/4	For 2 1/2" Wide spring	Unknown	Crown
HB-1005	1	1 3/4	2 1/4	9/16	1 3/16		Unknown	Crown
HB-1106	28mm (1.102)	37mm (1.46)	45mm (1.77)	16mm (.630)	36mm (1.42)	For 70mm Wide spring; Metric Bushing	Mitsubishi	Flat
HB-760	1 1/8	1	1 1/4	5/8	1 1/4	For 2" Wide spring	Chevrolet, Ford	Flat
HB-862	1 1/8	1	1 1/2	5/8	1 1/4	For 2" Wide spring	Chevrolet	Crown

# Spring Accessories

## Harris Rubber Bushings continued

Part No.	Size					Remarks	Make	End Type
	A	B	C	D	E			
HB-533	1 1/8	1 1/8	1 11/16	9/16	1 1/4	For 2 1/4" Wide spring	Ford Truck	Crown
HB-995	1 1/8	1 1/8	1 11/16	9/16	1 1/4	For 2 1/4" Wide spring	Ford Truck	Crown
HB-761	1 1/8	1 1/8	1 3/8	5/8	1 1/4	For 2 1/4" Wide spring	Ford	Flat
HB-880	1 1/8	1 1/4	1 3/4	5/8	1 1/4	For 2 1/2" Wide spring	Cadillac, Oldsmobile	Crown
HB-996	1 1/8	1 3/8	2 1/16	3/4	1 1/4	For 3" Wide eyes (Varying width spring)	Chevrolet/GMC Truck	Crown
HB-930	1 1/8	1 7/16	1 15/16	9/16	1 1/4	For 3" Wide eyes (Varying width spring)	Chevrolet/GMC Truck	Crown
HB-99	1 1/8	1 1/2	1 3/4	5/8	1 1/4		Unknown	Flat
HB-1105	30mm (1.181)	30mm (1.18)	35mm (1.38)	18mm (.709)	36mm (1.42)	For 60mm Wide spring; Metric Bushing	Isuzu	Flat
HB-1004	30mm (1.181)	31mm (1.22)	37mm (1.46)	18mm (.709)	35mm (1.38)	For 60mm Wide spring; Metric Bushing	Toyota	Flat
HB-1102	30mm (1.181)	41mm (1.61)	47mm (1.85)	18mm (.709)	35mm (1.38)	For Shackle hanger; Metric Bushing	Toyota	Flat
HB-1103	30mm (1.181)	46mm (1.81)	52mm (2.05)	18mm (.709)	35mm (1.38)	For Shackle hanger; Metric Bushing	Toyota	Flat
HB-1104	30mm (1.181)	50mm (1.97)	56mm (2.20)	18mm (.709)	35mm (1.38)	For Shackle hanger; Metric Bushing	Toyota	Flat
HB-854	1 1/4	7/8	1 3/8	3/4	1 3/8	For 1 3/4" Wide spring	International	Crown
HB-1002	1 1/4	1 1/8	1 7/16	5/8	1 5/8	For 2 1/2" Wide spring	Ford Truck	Flat
HB-1100	1 1/4	1 1/4	1 11/16	23/32	1 1/2	For 2 1/2" Wide spring	Jeep	Crown
HB-833	1 1/4	1 1/4	1 3/4	3/4	1 3/8	For 2 1/2" Wide spring	Ford	Crown
HB-883	1 1/4	1 1/4	1 3/4	3/4	1 3/8	For 2 1/2" Wide spring	Unknown	Crown
HB-1115	32mm (1.260)	37mm (1.46)	45mm (1.77)	18mm (.709)	37mm (1.46)	For 70mm Wide spring; Metric Bushing	Mitsubishi	Flat
HB-1112	32mm (1.260)	34mm (1.34)	44mm (1.73)	20mm (.787)	38mm (1.50)	For 70mm Wide spring; Metric Bushing	Nissan UD	Crown
HB-1108	33mm (1.299)	31mm (1.22)	37mm (1.46)	20mm (.787)	38mm (1.50)	For 60mm Wide spring; Metric Bushing	Nissan	Flat
HB-1110	33mm (1.299)	32mm (1.26)	38mm (1.50)	20mm (.787)	42mm (1.65)	For 60mm Wide spring; Metric Bushing	Nissan	Flat
HB-402	1 3/8	1	1 1/2	9/16	1 1/2	For 2" Wide spring	Ford	Crown
HB-532	1 3/8	1	1 1/2	9/16	1 1/2	For 2" Wide spring	Mercury	Crown
HB-990	1 3/8	1	1 1/2	9/16	1 1/2	For 2" Wide spring	Unknown	Crown
HB-396	1 3/8	1 1/4	1 3/4	1/2	1 5/8	For 2 1/2" Wide spring	Ford	Crown
HB-405	1 3/8	1 1/4	1 3/4	9/16	1 1/2	For 2 1/2" Wide spring	Ford, Mercury	Crown
HB-530	1 3/8	1 1/4	1 3/4	9/16	1 1/2	For 2 1/2" Wide spring	Ford, Mercury	Crown
HB-991	1 3/8	1 1/4	1 3/4	9/16	1 1/2	For 2 1/2" Wide spring	Unknown	Crown
HB-1101	35mm (1.378)	31mm (1.22)	37mm (1.46)	18mm (.709)	40mm (1.57)	For 60mm Wide spring; Metric Bushing	Toyota	Flat
HB-830	1 1/2	1 1/4	1 3/4	5/8	1 11/16	For 2 1/2" Wide spring	Chrysler, Dodge, Plymouth, Lincoln, Mercury	Crown
HB-902	1 9/16	1 3/8	1 13/16	9/16	1 7/8	For 2 1/2" Wide spring	Chevrolet, Pontiac	Crown













# Spring Accessories

## Harris Rubber Bushings continued

Part No.	Size					Remarks	Make	End Type
	A	B	C	D	E			
HB-999	1 $\frac{9}{16}$	1 $\frac{3}{8}$	1 $\frac{7}{8}$	$\frac{7}{8}$	1 $\frac{7}{8}$	For 2 $\frac{1}{2}$ " Wide spring	Buick, Chevrolet, Oldsmobile, Pontiac	Crown
HB-1000	1 $\frac{9}{16}$	1 $\frac{3}{8}$	2 $\frac{3}{8}$	$\frac{9}{16}$	1 $\frac{7}{8}$	For 2 $\frac{1}{2}$ " Wide spring	Buick, Cadillac, Chevrolet, Oldsmobile, Pontiac	Crown
HB-1114	40mm (1.575)	30mm (1.18)	35mm (1.38)	18mm (.709)	45mm (1.77)	For 60mm Wide spring; Metric Bushing	Isuzu	Flat
HB-1107	40mm (1.575)	30mm (1.18)	37mm (1.46)	18mm (.709)	47mm (1.85)	For 60mm Wide spring; Metric Bushing	Nissan	Crown
HB-1109	40mm (1.575)	30mm (1.18)	37mm (1.46)	18mm (.709)	47mm (1.85)	For 60mm Wide spring; Metric Bushing	Nissan	Crown
HB-1111	40mm (1.575)	38mm (1.50)	46mm (1.81)	22mm (.866)	48mm (1.89)	For 70mm Wide spring; Metric Bushing	Mitsubishi Fuso	Flat
HB-1113	40mm (1.575)	38mm (1.50)	46mm (1.81)	22mm (.866)	48mm (1.89)	For 70mm Wide spring; Metric Bushing	Nissan UD	Flat
HB-997	1 $\frac{7}{8}$	1 $\frac{5}{16}$	1 $\frac{11}{16}$	$\frac{9}{16}$	2 $\frac{1}{8}$	For 2 $\frac{1}{2}$ " Wide spring	Ford, Lincoln, Mercury	Crown
HB-531	2	1	1 $\frac{11}{16}$	$\frac{9}{16}$	2 $\frac{1}{4}$	For 2" Wide spring	Ford, Mercury	Crown
HB-395	2	1 $\frac{1}{8}$	1 $\frac{13}{16}$	$\frac{11}{16}$	2 $\frac{1}{4}$	For 2" Wide spring	Ford	Crown
HB-394	2	1 $\frac{1}{4}$	1 $\frac{3}{4}$	$\frac{5}{8}$	2 $\frac{3}{16}$	For 2 $\frac{1}{2}$ " Wide spring	Ford	Crown
HB-381	2	1 $\frac{5}{16}$	1 $\frac{13}{16}$	$\frac{3}{4}$	2 $\frac{3}{16}$	For 2 $\frac{1}{2}$ " Wide spring	Ford, Mercury	Crown
HB-1003	2 $\frac{1}{4}$	2	2 $\frac{11}{16}$	1 $\frac{1}{4}$	2 $\frac{11}{16}$	For 4" Wide spring	Crown Coach	Flat

# Spring Accessories

## Rubber Bushing Types



# Spring Accessories

## Steel Encased Rubber Bushings

Part No.	Type	A	B	C	D	E	Remarks
RB-18	1	3/4	2	3 3/4	3/8	-	
RB-19	1	3/4	2 1/4	4	3/8	-	
RB-37	1	7/8	1 3/4	1 13/16	7/16	-	
RB-68	1	7/8	1 3/4	1 7/8	7/16	-	
RB-30	1	7/8	1 3/4	2	7/16	-	
RB-38	1	7/8	1 3/4	2	7/16	-	
RB-142	1	7/8	1 3/4	2 1/16	7/16	-	
RB-12	1	7/8	1 3/4	3 1/2	3/8	-	
RB-44	1	7/8	2	2 1/4	7/16	-	
RB-32	1	7/8	2	2 1/4	7/16	-	
RB-45	1	7/8	2	2 1/2	7/16	-	
RB-13	1	7/8	2 1/4	4	3/8	-	
RB-33	1	7/8	2 1/2	2 7/8	7/16	-	
RB-55	1	7/8	2 1/2	3 1/8	7/16	-	
RB-27	1	1	1 3/4	4	7/16	-	
RB-22	1	1	1 3/4			-	Incomplete data
RB-53	1	1	2	2 1/8	7/16	-	
RB-57	1	1	2 1/2	2 7/8	1/2	-	
RB-50	1	1 1/32	2	2 1/4	7/16	-	
RB-35	1	1 1/32	2	2 5/16	1/2	-	
RB-56	1	1 1/32	2	2 5/16	1/2	-	
RB-48	1	1 1/32	2 1/2	3	1/2	-	
RB-54	1	1 1/8	2	2 5/16	5/8	-	
RB-92	1	1 1/8	2	2 9/16	9/16	-	
RB-24	1	1 1/8	2	4	9/16	-	
RB-66	1	1 1/8	2 1/4	2 1/2	9/16	-	
RB-61	1	1 1/8	2 1/4	2 3/4	9/16	-	
RB-52	1	1 1/8	2 1/4	2 3/4	9/16	-	
RB-25	1	1 1/8	2 1/4	4 1/4	9/16	-	
RB-20	1	1 1/8	2 1/4	4 1/2	9/16	-	
RB-112	1	1 1/8	2 1/2	2 7/8	1/2	-	
RB-36	1	1 1/8	2 1/2	2 7/8	5/8	-	
RB-29	1	1 1/8	3			-	Incomplete data
RB-99	1	1 1/8	3 1/16	3 1/2	1/2	-	
RB-7	1	1 5/32	2	2 3/8	1/2	-	
RB-8	1	1 5/32	2 1/2	3	3/4	-	
RB-115	1	1 3/16	1 3/4	2	7/16	-	
RB-11	1	1 7/32	1 3/4	2 1/8	9/16	-	
RB-127	1	1 3/16	2	2 1/4	7/16	-	
RB-3	1	1 3/16	2 1/4	2 3/4	3/4	-	
RB-118	1	1 1/4	2	2 3/4	9/16	-	
RB-70	1	1 1/4	2 1/4	2 3/4	5/8	-	
RB-76	1	1 1/4	2 1/2	2 9/16	9/16	-	
RB-85	1	1 1/4	2 1/2	2 3/4	9/16	-	
RB-120	1	1 1/4	2 1/2	2 3/4	9/16	-	
RB-140	1	1 1/4	2 1/2	2 7/8	9/16	-	
RB-81	1	1 1/4	2 1/2	2 7/8	5/8	-	
RB-160	1	1 1/4	2 1/2	3	9/16	-	
RB-131	1	1 1/4	2 9/16	3	9/16	-	
RB-102	1	1 1/4	3	3 3/8	9/16	-	
RB-133	1	1 1/4	3 1/16	3 1/2	9/16	-	
RB-1	1	1 9/32	2	2 5/16	5/8	-	
RB-101	1	1 9/32	2 1/2	2 3/4	5/8	-	
RB-156	1	1 9/32	2 1/2	2 3/4	5/8	-	
RB-34	1	1 9/32	2 1/2	2 7/8	5/8	-	
RB-124	1	1 9/32	2 1/2	2 7/8	5/8	-	
RB-201	1	33mm (1.299)	60mm (2.36)	70mm (2.76)	12mm (.472)	-	Metric Bushing
RB-21	1	1 5/16	2 1/4	2 3/4	9/16	-	
RB-2	1	1 11/32	2			-	Incomplete data
RB-39	1	1 3/8	2	2 5/16	1/2	-	
RB-47	1	1 3/8	2	2 1/2	7/16	-	
RB-89	1	1 3/8	2	2 1/2	9/16	-	

# Spring Accessories

## Steel Encased Rubber Bushings Continued

Part No.	Type	A	B	C	D	E	Remarks
RB-64	1	1 3/8	2 1/2	3	7/16	-	
RB-43	1	1 3/8	2 1/2	3	1/2	-	
RB-113	1	1 3/8	2 1/2	3	9/16	-	
RB-42	1	1 3/8	2 1/2	2 7/8	7/16	-	
RB-110	1	1 3/8	2 1/2	2 3/4	9/16	-	
RB-74	1	1 3/8	2 1/2	2 3/4	5/8	-	
RB-149	1	1 3/8	3	3 3/8	9/16	-	
RB-62	1	1 3/8	3	3 3/8	1 1/16	-	
RB-152	1	1 3/8	3 1/16	3 1/2	9/16	-	
RB-157	1	1 3/8	3 1/16	3 1/2	9/16	-	
RB-132	1	1 3/8	3 1/16	3 1/2	5/8	-	
RB-4	1	1 13/32	2 1/4			-	Incomplete data
RB-5	1	1 13/32	2 1/2			-	Incomplete data
RB-197	1	36mm (1.417)	70mm (2.76)	80mm (3.15)	14mm (.551)	-	Metric Bushing
RB-26	1	1 7/16	2 1/4	2 5/8	5/8	-	
RB-217	1	1 7/16	2 1/2	2 3/4	5/8	-	
RB-198	1	37.1mm (1.461)	3	3 1/16	18mm (.709)	-	Alternate design; With outer sleeve
RB-107	1	1 1/2	1 3/4	2 3/8	1/2	-	
RB-78	1	1 1/2	1 15/16	2 1/16	7/8	-	
RB-86	1	1 1/2	1 15/16	2 1/4	7/8	-	
RB-119	1	1 1/2	1 15/16	2 3/8	1/2	-	
RB-14	1	1 1/2	2			-	Incomplete data
RB-88	1	1 1/2	2	2 5/8	9/16	-	
RB-144	1	1 1/2	2	2 7/8	9/16	-	
RB-15	1	1 1/2	2 1/4			-	Incomplete data
RB-87	1	1 1/2	2 3/8	2 3/4	7/8	-	
RB-80	1	1 1/2	2 1/2	2 5/8	7/8	-	
RB-71	1	1 1/2	2 1/2	2 3/4	9/16	-	
RB-128	1	1 1/2	2 1/2	2 3/4	9/16	-	
RB-72	1	1 1/2	2 1/2	2 3/4	3/4	-	
RB-46	1	1 1/2	2 1/2	2 7/8	7/16	-	
RB-145	1	1 1/2	2 1/2	2 7/8	9/16	-	
RB-170	1	1 1/2	2 1/2	2 7/8	9/16	-	
RB-111	1	1 1/2	2 1/2	2 7/8	5/8	-	
RB-40	1	1 1/2	2 1/2	2 7/8	5/8	-	
RB-58	1	1 1/2	2 1/2	2 7/8	3/4	-	
RB-9	1	1 1/2	2 1/2	3	1/2	-	
RB-251	1	1 1/2	2 1/2	3	9/16	-	
RB-109	1	1 1/2	2 1/2	3 1/8	1/2	-	
RB-114	1	1 1/2	2 1/2	3 1/8	9/16	-	
RB-91	1	1 1/2	2 1/2	3 1/8	5/8	-	
RB-59	1	1 1/2	2 1/2	3	7/16	-	
RB-134	1	1 1/2	3	3 1/4	5/8	-	
RB-137	1	1 1/2	3	3 3/8	9/16	-	
RB-97	1	1 1/2	3	3 1/2	1/2	-	
RB-151	1	1 1/2	3	3 1/2	5/8	-	
RB-98	1	1 1/2	3	3 11/16	9/16	-	
RB-6	1	1 9/16	2 3/4	3	3/4	-	
RB-192	1	40mm (1.575)	60mm (2.36)	70mm (2.76)	14mm (.551)	-	Metric Bushing
RB-209	1	40mm (1.575)	60mm (2.36)	70mm (2.76)	14mm (.551)	-	Metric Bushing
RB-252	1	40mm (1.575)	60mm (2.36)	70mm (2.76)	14mm (.551)	-	Metric Bushing
RB-303	1	40mm (1.575)	60mm (2.36)	70mm (2.76)	14mm (.551)	-	Metric Bushing
RB-202	1	40mm (1.575)	60mm (2.36)	70mm (2.76)	18mm (.709)	-	Metric Bushing
RB-294	1	40mm (1.575)	60mm (2.36)	73mm (2.87)	14mm (.551)	-	Metric Bushing
RB-359	1	40mm (1.575)	70mm (2.76)	84mm (3.31)	12mm (.472)	-	Metric Bushing
RB-93	1	1 5/8	2	2 5/8	9/16	-	
RB-104	1	1 5/8	2 1/2	2 3/4	7/8	-	
RB-159	1	1 5/8	2 1/2	3	9/16	-	
RB-207	1	1 5/8	2 1/2	3	5/8	-	
RB-23	1	1 5/8	2 1/2	3	3/4	-	
RB-333	1	1 5/8	2 15/16	3 1/16	5/8	-	High confinement
RB-148	1	1 5/8	3	3 3/8	5/8	-	

# Spring Accessories

## Steel Encased Rubber Bushings Continued

Part No.	Type	A	B	C	D	E	Remarks
RB-28	1	1 5/8	3	6	3/4	-	
RB-158	1	1 5/8	3 1/16	3 1/2	5/8	-	
RB-178	1	1 5/8	3 1/16	3 1/2	5/8	-	
RB-182	1	1 5/8	4 1/16	4 1/2	5/8	-	
RB-311	1	41.5mm (1.634)	60mm (2.36)	73mm (2.87)	13mm (.512)	-	Metric Bushing
RB-246	1	42mm (1.654)	70mm (2.76)	80mm (3.15)	18mm (.709)	-	Metric Bushing
RB-173	1	42mm (1.654)	71.5mm (2.81)	81mm (3.19)	16mm (.630)	-	Metric Bushing
RB-228	1	42mm (1.654)	72mm (2.83)	81mm (3.19)	16mm (.630)	-	Metric Bushing
RB-100	1	1 11/16	2 1/2	2 3/4	3/4	-	
RB-73	1	1 11/16	3	3 1/4	15/16	-	
RB-282	1	43mm (1.693)	60mm (2.38)	70mm (2.76)	14mm (.551)	-	Metric Bushing
RB-230	1	1 23/32	2 1/2	3	9/16	-	
RB-79	1	1 3/4	1 15/16	2 3/16	9/16	-	Double shell
RB-77	1	1 3/4	2 1/2	2 3/4	9/16	-	Double shell
RB-138	1	1 3/4	2 1/2	2 3/4	9/16	-	
RB-123	1	1 3/4	2 1/2	2 3/4	1	-	
RB-141	1	1 3/4	2 1/2	2 7/8	1	-	
RB-146	1	1 3/4	3	3 9/16	7/8	-	
RB-105	1	1 3/4	3	3 5/16	15/16	-	
RB-135	1	1 3/4	3	3 1/2	3/4	-	
RB-204	1	1 3/4	3	3 9/16	5/8	-	
RB-203	1	1 3/4	3	3 9/16	20mm (.787)	-	
RB-267	1	1 3/4	3 1/16	3 9/16	3/4	-	
RB-338	1	1 3/4	3 15/16	4 1/4	5/8	-	High Confinement
RB-284	1	1 3/4	4 1/16	3 15/16	7/8	-	
RB-281	1	45mm (1.772)	60mm (2.38)	70mm (2.76)	16mm (.630)	-	Metric Bushing
RB-313	1	45mm (1.772)	70mm (2.76)	80mm (3.15)	16mm (.630)	-	Metric Bushing
RB-200	1	45mm (1.772)	90mm (3.54)	100mm (3.94)	12mm (.472)	-	Metric Bushing
RB-229	1	1 25/32	3 1/16	3 1/2	5/8	-	
RB-116	1	1 13/16	3	3 1/4	7/8	-	
RB-75	1	1 13/16	3	3 1/4	1	-	
RB-219	1	1 13/16	3	3 9/16	5/8	-	
RB-218	1	1 13/16	3	3 9/16	20mm (.787)	-	
RB-177	1	1 13/16	3 1/16	3 1/2	20mm (.787)	-	
RB-181	1	1 13/16	4 1/16	4 1/2	20mm (.787)	-	
RB-258	1	1 13/16 (1.836)	3 1/16	3 1/4	3/4	-	
RB-270	1	1 13/16 (1.836)	3 1/16	4 1/4	3/4	-	High Confinement
RB-253	1	1 13/16 (1.836)	4 1/16	4 1/4	3/4	-	High Confinement
RB-190	1	46.6mm (1.837)	89mm (3.50)	92mm (3.62)	20mm (.787)	-	Metric Bushing; High Confinement
RB-346	1	46.6mm (1.837)	4 1/16	4 1/4	3/4	-	High Confinement
RB-261	1	1 7/8 (1.863)	2 9/16	3	9/16	-	
RB-237	1	1 7/8 (1.863)	2 9/16	3	9/16	-	
RB-274	1	1 7/8 (1.863)	2 9/16	3	5/8	-	
RB-126	1	1 7/8	2	2 9/16	3/8	-	
RB-125	1	1 7/8	2	2 5/8	7/16	-	
RB-188	1	48mm (1.890)	87.5mm (3.44)	89mm (3.50)	24mm (.945)	-	Metric Bushing
RB-165	1	48mm (1.890)	98.5mm (3.88)	100mm (3.94)	24mm (.945)	-	Metric Bushing
RB-331	1	48.5mm (1.910)	76mm (3.00)	89mm (3.50)	20mm (.787)	-	Metric Bushing; High Confinement
RB-293	1	50mm (1.967)	73mm (2.88)	86mm (3.38)	20mm (.787)	-	Metric Bushing; High Confinement
RB-69	1	2	2	2 1/2	1/2	-	
RB-67	1	2	2 1/4	2 1/2	9/16	-	
RB-65	1	2	2 1/4	2 3/4	9/16	-	
RB-130	1	2	2 1/2	2 3/4	9/16	-	
RB-90	1	2	2 1/2	2 3/4	3/4	-	Offset Center Inner Sleeve
RB-153	1	2	2 1/2	2 7/8	9/16	-	
RB-121	1	2	2 1/2	3 1/8	9/16	-	
RB-60	1	2	2 1/2	3 1/8	5/8	-	
RB-220	1	2	3	3 3/8	7/8	-	
RB-155	1	2	3	3 1/2	9/16	-	
RB-176	1	2	3	3 1/2	5/8	-	
RB-280	1	2	3 1/16	3 9/16	3/4	-	High Confinement
RB-179	1	2	4	4 1/2	9/16	-	

# Spring Accessories

## Steel Encased Rubber Bushings Continued

Part No.	Type	A	B	C	D	E	Remarks	
RB-180	1	2	4	4 1/2	5/8	-	Spool Type High Confinement	
RB-341	1	50.2mm (1.976)	94mm (3.70)	110mm (4.33)	20mm (.787)	-		
RB-238	1	2 1/16 (2.049)	2 15/16	3 1/16	5/8	-		
RB-106	1	2 1/16	1 3/4	2 3/8	1/2	-		
RB-82	1	2 1/16	2 1/2	3 1/16	1/2	-		
RB-108	1	2 1/16	2 1/2	3 1/16	1/2	-		
RB-83	1	2 1/16	2 1/2	3 3/16	5/8	-		
RB-191	1	52mm (2.047)	74mm (2.91)	77mm (3.03)	22mm (.866)	-		Metric Bushing; High Confinement Metric bushing
RB-262	1	53.2mm (2.095)	90mm (3.54)	106mm (4.17)	12mm (.472)	-		
RB-63	1	2 1/8	4	4 3/8	1	-		High Confinement
RB-329	1	2 3/16 (2.165)	2 11/16	3	20mm (.787)	-		
RB-254	1	2 1/4	2 1/2	3	9/16	-		
RB-256	1	2 1/4	3	3 1/4	20mm (.787)	-		
RB-212	1	2 1/4	3	4 1/4	20mm (.787)	-		
RB-345	1	2 1/4	3 7/8	4 1/4	20mm (.787)	-		
RB-360	1	2 1/4	3 15/16	4 1/4	20mm (.787)	-		
RB-211	1	2 1/4	4	4 1/4	20mm (.787)	-		
RB-233	1	2 1/4	4	4 1/4	20mm (.787)	-		
RB-302	1	2 1/4	4	4 1/4	20mm (.787)	-		
RB-322	1	2 1/4	4	4 1/4	13/16	-	High Confinement High Confinement	
RB-288	1	2 1/4	4	4 1/4	24mm (.945)	-		
RB-316	1	2 1/4	4 1/8	4 1/4	20mm (.787)	-	High Confinement	
RB-327	1	2 1/4 (2.280)	3 3/16	3 1/2	1 1/16	-	High Confinement	
RB-292	1	2 3/8	2 9/16	3	7/8	-		
RB-167	1	2 3/8	3	3 1/8	7/8	-		
RB-300	1	2 3/8	4	4 5/8	7/8	-		
RB-122	1	2 3/8	5	5 3/16	1	-		
RB-163	1	2 1/2	2 1/2	3 3/16	9/16	-		
RB-103	1	2 1/2	2 1/2	3 3/8	5/8	-		
RB-169	1	2 1/2	2 5/8	3 3/16	9/16	-		
RB-265	1	2 1/2	3	3 3/8	1 1/4	-		
RB-221	1	2 1/2	3 1/4	3 1/2	1	-		
RB-269	1	2 1/2	3 13/16	4 1/4	1	-		
RB-174	1	2 1/2	4	3 3/4	1	-	High Confinement	
RB-162	1	2 1/2	4	4 1/4	7/8	-		
RB-187	1	2 1/2	4	4 1/4	1	-		
RB-84	1	2 1/2	4	4 1/4	1 1/4	-		
RB-290	1	2 9/16 (2.540)	2 5/8	3 9/16	7/8	-		
RB-356	1	65mm (2.559)	70mm (2.76)	87mm (3.43)	16mm (.630)	-		High Confinement Metric Bushing
RB-232	1	2 5/8	5	5 5/16	1 1/4	-		
RB-168	1	3	3	3 1/4	1 3/4	-		2 Per Eye  Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye  Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye Metric Bushing; 2 Per Eye
RB-41	2	1 5/32	2	2 9/16	1/2	-		
RB-51	2	1 9/32	2	2 11/16	5/8	-		
RB-326	2	1 1/2	1 3/8	1 3/4	14mm (.551)	-		
RB-257	2	1 1/2	2 1/2	2 13/16	9/16	-		
RB-240	2	1 1/2	2 1/2	2 15/16	9/16	-		
RB-241	2	1 1/2	2 1/2	2 15/16	9/16	-		
RB-117	2	1 1/2	2 5/8	3	9/16	-		
RB-255	2	1 1/2	2 5/8	3	9/16	-		
RB-260	2	40mm (1.575)	30mm (1.18)	36.6mm (1.44)	14mm (.551)	-		
RB-358	2	40mm (1.575)	30mm (1.18)	51mm (2.01)	12mm (.472)	-		
RB-186	2	40mm (1.575)	33.5mm (1.32)	41mm (1.61)	16mm (.630)	-		
RB-183	2	40mm (1.575)	34mm (1.34)	40mm (1.57)	16mm (.630)	-		
RB-357	2	40mm (1.575)	35mm (1.38)	42mm (1.65)	16mm (.630)	-		
RB-271	2	1 5/8	2 5/8	3	9/16	-		
RB-351	2	1 11/16	2 1/8	3	9/16	-		
RB-206	2	1 11/16	2 3/8	3	9/16	-		
RB-172	2	1 11/16	2 5/8	3	9/16	-		
RB-318	2	1 11/16	2 5/8	3	9/16	-		
RB-317	2	1 11/16	2 5/8	3	18mm (.709)	-		
RB-340	2	1 11/16	3	3 1/2	16mm (.630)	-		
RB-136	2	1 3/4	2 5/8	3	9/16	-		



# Spring Accessories

## Steel Encased Rubber Bushings Continued


Part No.	Type	A	B	C	D	E	Remarks	
RB-129	2	1 3/4	2 5/8	3	5/8	-	High Confinement	
RB-349	2	1 3/4	3	85mm (3.35)	14mm (.551)	-		
RB-348	2	1 3/4	3	85mm (3.35)	18mm (.709)	-		
RB-366	2	45mm (1.772)	3	3.5	18mm (.709)	-		
RB-344	2	46.6mm (1.837)	4	4 1/4	3/4	-		
RB-352	2	2	2 1/8	3	5/8	-		
RB-266	2	2	2 5/8	3	9/16	-		
RB-231	2	2	2 5/8	3	9/16	-		
RB-250	2	2	2 5/8	3	5/8	-		
RB-319	2	2	2 5/8	3	5/8	-		
RB-272	2	2	2 11/16	3	9/16	-		
RB-339	2	2	3	3 1/2	18mm (.709)	-		
RB-95	2	2	3	3 3/4	1/2	-		
RB-96	2	2	3	3 3/4	1/2	-		
RB-227	2	2	3 1/8	3 1/2	18mm (.709)	-		
RB-355	2	2	3 1/8	3 1/2	20mm (.787)	-		
RB-273	2	2	3 3/16	3 1/2	5/8	-		
RB-320	2	2	3 3/16	3 1/2	5/8	-		
RB-354	2	2	3 3/16	3 1/2	5/8	-		
RB-337	2	53mm (2.087)	79mm (3.12)	90mm (3.54)	18mm (.709)	-		Metric Bushing
RB-353	2	55mm (2.165)	81mm (3.19)	90mm (3.54)	20mm (.787)	-		Metric Bushing
RB-361	2	70mm (2.756)	33mm (1.30)	42mm (1.65)	16mm (.630)	-		Metric Bushing; 2 Per Eye
RB-236	3	1 3/8	-	3	14mm (.551)	-		Metric bushing; Alternate design; No outer sleeve
RB-198	3	40mm (1.575)	-	90mm (3.54)	18mm (.709)	-		
RB-214	3	1 5/8	-	3 1/2	9/16	-		
RB-213	3	1 5/8	-	3 1/2	5/8	-		
RB-224	3	1 11/16	-	3	9/16	-		
RB-216	3	1 11/16	-	3	9/16	-		
RB-235	3	1 3/4	-	3	18mm (.709)	-		
RB-244	3	1 3/4	-	3 1/2	16mm (.630)	-		
RB-248	3	1 3/4	-	3 1/2	16mm (.630)	-		
RB-315	3	1 3/4	-	3 1/2	18mm (.709)	-		
RB-314	3	1 3/4	-	3 1/2	18mm (.709)	-		
RB-239	3	1 13/16	-	3	9/16	-		
RB-264	3	1 13/16	-	4 1/2	5/8	-		
RB-304	3	1 13/16	-	4 1/2	5/8	-		
RB-243	3	1 7/8	-	3 1/2	20mm (.787)	-		
RB-242	3	1 7/8	-	4 1/2	3/4	-		
RB-305	3	1 7/8	-	4 1/2	3/4	-		
RB-245	3	2 3/16	-	3 1/2	18mm (.709)	-		
RB-247	3	2 3/16	-	3 1/2	18mm (.709)	-		
RB-306	3	2 3/16	-	4 1/2	9/16	-		
RB-307	3	2 3/16	-	4 1/2	5/8	-		
RB-225	3	2 1/4	-	4 1/2	9/16	-		
RB-226	3	2 1/4	-	4 1/2	5/8	-		
RB-154	3	2 7/16	-	3 1/8	3/4	-		
RB-215	3	2 1/2	-	3	9/16	-		
RB-325	3	3 3/16	-	4 7/16	1 1/2	-	60 Durometer	
RB-283	3	3 3/16	-	4 7/16	1 1/2	-	70 Durometer	
RB-276	4	34mm (1.339)	-	89mm (3.50)	14mm (.551)	45mm (1.77)	Metric Bushing	
RB-279	4	38mm (1.496)	-	80mm (3.15)	16mm (.630)	45mm (1.77)	Metric Bushing	
RB-334	4	43mm (1.693)	-	95mm (3.74)	16mm (.630)	52mm (2.05)	Metric Bushing	
RB-275	4	46mm (1.811)	-	89mm (3.50)	18mm (.709)	56mm (2.20)	Metric Bushing	
RB-287	4	47mm (1.850)	-	89mm (3.50)	20mm (.787)	54mm (2.13)	Metric Bushing	
RB-296	4	1 7/8	-	3	5/8	2 3/16		
RB-223	4	48mm (1.890)	-	91mm (3.58)	16mm (.630)	53mm (2.09)	Metric Bushing	
RB-277	4	49mm (1.929)	-	80mm (3.15)	12mm (.472)	55mm (2.16)	Metric Bushing	
RB-278	4	49mm (1.929)	-	80mm (3.15)	16mm (.630)	55mm (2.16)	Metric Bushing	
RB-194	4	50mm (1.969)	-	95mm (3.74)	16mm (.630)	55mm (2.16)	Metric Bushing	
RB-301	4	2 1/32	-	3 1/4	13/16	2 3/16		
RB-335	4	52mm (2.047)	-	74mm (2.91)	14mm (.551)	62mm (2.44)	Metric Bushing	

# Spring Accessories

## Steel Encased Rubber Bushings Continued

Part No.	Type	A	B	C	D	E	Remarks
RB-298	4	52mm (2.047)	-	95mm (3.74)	20mm (.787)	62mm (2.44)	Metric Bushing
RB-286	4	53mm (2.087)	-	89mm (3.50)	18mm (.709)	59mm (2.32)	Metric Bushing
RB-336	4	55mm (2.165)	-	74mm (2.91)	14mm (.551)	62mm (2.44)	Metric Bushing
RB-195	4	55mm (2.165)	-	120mm (4.72)	20mm (.787)	62mm (2.44)	Metric Bushing
RB-362	4	55mm (2.165)	-	72mm (2.83)	14mm (.551)	66mm (2.60)	Metric Bushing
RB-222	4	56mm (2.205)	-	105mm (4.13)	19mm (.748)	60mm (2.36)	Metric Bushing
RB-321	4	62.5mm (2.461)	-	80mm (3.15)	12mm (.472)	68.5mm (2.70)	Metric Bushing
RB-299	4	3 5/32	-	3 5/8	1 1/4	3 3/4	
RB-94	5	1 7/8 x 2 1/4 Oval	3	3 1/4	15/16	-	
RB-147	5	2 x 3 Oval	2 1/2	3 1/16	1/2	-	
RB-150	5	2 x 3 Oval	2 1/2	3 1/8	9/16	-	
RB-139	5	2 x 3 Oval	2 1/2	3 1/4	9/16	-	
RB-171	5	2 x 3 Oval	2 5/8	3 1/4	9/16	-	
RB-143	5	2 x 3 Oval	2 11/16	3 1/8	5/8	-	
RB-210	5	55mm (2.165) x 73mm (2.874) Oval	70mm (2.76)	80mm (3.15)	14mm (.551)	-	Metric Bushing
RB-249	6	1 3/4	4 1/16	7 1/8	1 1/16	5 3/4	High Confinement
RB-365	6	1 3/4	4 1/16	7 1/8	1 1/16	5 3/4	High Confinement
RB-295	6	1 3/4	4 1/16	7 1/2	1 1/16	6 5/16	High Confinement
RB-363	6	1 3/4	4 1/16	7 1/2	1 1/16	6 9/16	High Confinement
RB-328	6	1 3/4	4 1/16	6 11/16	1 1/16	5 7/16	High Confinement
RB-364	6	1 3/4	4 1/16	6 11/16	1 1/16	5 7/16	High Confinement
RB-161	6	1 25/32	4	7	1	5 3/4	
RB-350	6	1 13/16 (1.836)	3 7/8	7 1/16	1	5 3/4	High Confinement
RB-343	6	46.6mm (1.837)	3 7/8	6 7/8	1 1/4	5 3/8	High Confinement. Flanged
RB-189	6	48mm (1.890)	87.5mm (3.44)	171mm (6.73)	27mm (1.063)	139mm (5.47)	Metric Bushing
RB-166	6	48mm (1.890)	98.5mm (3.88)	183mm (7.20)	27mm (1.063)	151mm (5.94)	Metric Bushing
RB-184	6	51mm (2.008)	100mm (3.94)	179mm (7.05)	31.6mm (1.244)	132mm (5.20)	Metric Bushing; Offset Pin
RB-324	6	2 1/16 (2.079)	4 1/16	6 11/16	1 1/16	5 7/16	High Confinement
RB-330	6	2 1/16 (2.079)	4 1/16	6 11/16	1 1/16	5 7/16	High Confinement
RB-308	6	2 1/16 (2.079)	4 1/16	7 1/2	1 1/16	6 9/16	High Confinement
RB-323	6	2 1/16 (2.079)	4 1/16	7 1/2	1 1/16	6 9/16	High Confinement
RB-289	6	2 1/4	4	6 3/4	27mm (1.063)	5 1/2	High Confinement
RB-263	6	2 1/4	4	6 7/8	1 1/4	5 3/8	
RB-342	6	2 1/4	4 1/8	6 7/8	1 1/4	5 3/8	High Confinement
RB-193	7	45.5mm (1.791)	80mm (3.15)	140mm (5.51)	25mm (.984)	108mm (4.25)	Metric Bushing; Offset Pin
RB-208	7	45.5mm (1.791)	80mm (3.15)	150mm (5.91)	25mm (.984)	N/A	Metric Bushing; Offset Pin
RB-196	7	45.5mm (1.791)	100mm (3.94)	161mm (6.34)	25mm (.984)	128mm (5.04)	Metric Bushing; Offset Pin
RB-175	8	45mm (1.772)	3 13/16	6 3/4	3/4 x 1 1/16	5 3/8	(2) 5/8" Holes
RB-291	8	2 3/8	2 9/16	5 5/8	1 x 1 5/16	4 3/8	(2) 5/8" Holes
RB-205	8	2 1/2	3	7 1/2	7/8 x 1 13/16	5 11/16	(2) 3/4" Holes
RB-234	8	2 1/2	3 3/16	7 1/2	7/8 x 1 13/16	5 11/16	(2) 3/4" Holes; High Confinement
RB-199	8	2 1/2	4	6 3/4	7/8 x 1 1/2	5 1/2	(2) 5/8" Holes
RB-164	8	2 9/16 (2.540)	2 3/16	5 3/4	1 1/8 x 1 1/2	4 3/8	(2) 5/8" Holes
RB-259	8	2 9/16 (2.540)	2 5/8	5 3/4	1 1/8 x 1 1/2	4 3/8	(2) 5/8" Holes; High Confinement
RB-185	8	2 5/8	5	8	1 x 1 7/16	6 3/4	(2) 5/8" Holes
RB-297	9	1 9/32	1 1/4	3	9/16	-	3 Piece Bushing
RB-309	10	1 3/4	2 13/16	3 1/2	16mm (.630)	-	
RB-367	10	1 3/4	2 7/8	3 1/2	16mm (.630)	-	
RB-312	10	1 13/16	2 3/4	3 1/2	20mm (.787)	-	
RB-310	10	1 13/16	2 13/16	3 1/2	20mm (.787)	-	
RB-31	11	7/8	2	3 3/16	5/16	9/16	
RB-49	11	1 5/32	2	3 1/8	5/16	9/16	
RB-268	12	2 1/2	3 5/8	7 1/2	7/8 x 1 13/16	5 11/16	(2) 13/16" Holes; High Confinement; Antiwalk-out
RB-285	12	2 1/2	3 5/8	7 1/2	7/8 x 1 13/16	5 11/16	(2) 13/16" Holes; High Confinement; Antiwalk-out
RB-332	12	2 1/2	3 5/8	7 1/2	7/8 x 1 13/16	5 11/16	(2) 13/16" Holes; High Confinement; Antiwalk-out
RB-347	12	2 1/2	3 5/8	7 1/2	7/8 x 1 13/16	5 11/16	(2) 13/16" Holes; High Confinement; Antiwalk-out

# Spring Accessories



## Handy Clips


Part No.	Spring Width	Part No.	Spring Width
HC-1	1 3/4	HC-11	2 1/2
HC-2	2	HC-10	3
HC-8	2 1/4		



## Clinch Clips

Straight 1-Hole Clips, Hole Size 3/8"

Part No.	Width	Thickness	Length
1HC-1225	1	1/4	7 1/2
1HC-1230	1	1/4	8
1HC-1235	1	1/4	8 1/2
1HC-1240	1	1/4	9
1HC-1245	1	1/4	9 1/2
1HC-1250	1	1/4	10
1HC-1255	1	1/4	10 1/2
1HC-1260	1	1/4	11
1HC-1265	1	1/4	11 1/2
1HC-1270	1	1/4	12
1HC-1275	1	1/4	12 1/2
1HC-1280	1	1/4	13
1HC-1285	1	1/4	13 1/2
1HC-1290	1	1/4	14




## Bolt Clips

Straight 3-Hole Clips, Hole Size 3/8"

Part No.	Width	Thickness	Length
3HC-400	1	1/4	2 1/2
3HC-405	1	1/4	2 3/4
3HC-410	1	1/4	3
3HC-415	1	1/4	3 1/4
3HC-420	1	1/4	3 1/2
3HC-425	1	1/4	3 3/4
3HC-430	1	1/4	4
3HC-435	1	1/4	4 1/4
3HC-440	1	1/4	4 1/2
3HC-445	1	1/4	4 3/4
3HC-450	1	1/4	5
3HC-455	1	1/4	5 1/4
3HC-460	1	1/4	5 1/2
3HC-465	1	1/4	5 3/4
3HC-470	1	1/4	6
3HC-475	1	1/4	6 1/4
3HC-480	1	1/4	6 1/2

## Bolt Clips Continued

Part No.	Width	Thickness	Length
3HC-485	1	1/4	6 3/4
3HC-490	1	1/4	7
3HC-495	1	1/4	7 1/4
3HC-500	1	1/4	7 1/2
3HC-505	1	1/4	7 3/4
3HC-510	1	1/4	8
3HC-520	1	1/4	8 1/2
3HC-525	1	1/4	8 3/4
3HC-530	1	1/4	9
3HC-535	1	1/4	9 1/4
3HC-540	1	1/4	9 3/4
3HC-545	1	1/4	9 1/2
3HC-550	1	1/4	10
3HC-551	1	1/4	10 1/4
3HC-600	1 1/4	1/4	2 1/2
3HC-605	1 1/4	1/4	2 3/4
3HC-610	1 1/4	1/4	3
3HC-615	1 1/4	1/4	3 1/4
3HC-620	1 1/4	1/4	3 1/2
3HC-625	1 1/4	1/4	3 3/4
3HC-630	1 1/4	1/4	4
3HC-635	1 1/4	1/4	4 1/4
3HC-640	1 1/4	1/4	4 1/2
3HC-645	1 1/4	1/4	4 3/4
3HC-650	1 1/4	1/4	5
3HC-655	1 1/4	1/4	5 1/4
3HC-660	1 1/4	1/4	5 1/2
3HC-665	1 1/4	1/4	5 3/4
3HC-670	1 1/4	1/4	6
3HC-675	1 1/4	1/4	6 1/4
3HC-680	1 1/4	1/4	6 1/2
3HC-685	1 1/4	1/4	6 3/4
3HC-690	1 1/4	1/4	7
3HC-700	1 1/4	1/4	7 1/2
3HC-705	1 1/4	1/4	7 3/4
3HC-710	1 1/4	1/4	8
3HC-715	1 1/4	1/4	8 1/4
3HC-720	1 1/4	1/4	8 1/2
3HC-725	1 1/4	1/4	8 3/4
3HC-730	1 1/4	1/4	9



## Clip Bolts with Nuts

Hex Head, Coarse Thread

Part No.	Dia. (A)	Len. (B)	Thd. Len. (C)
CLB-315	3/8	3	1
CLB-320	3/8	3 1/2	1
CLB-325	3/8	4	1
CLB-330	3/8	4 1/2	1
CLB-335	3/8	5	Full Threads

## Clips Bolts with Nuts Continued

Part No.	Dia. (A)	Len. (B)	Thd. Len. (C)
CLB-345	7/16	4	1 1/8
CLB-350	7/16	4 1/2	1 1/8
CLB-355	7/16	5	1 1/8
CLB-360	7/16	6	1 1/8



## Clip Spacers

Part No.	I.D.	Length
SST-3000	3/8	2
SST-3005	3/8	2 1/4
SST-3010	3/8	2 1/2
SST-3015	3/8	3
SST-3016	3/8	3 1/4
SST-3018	3/8	3 1/2
SST-3020	3/8	4
SST-3030	7/16	3
SST-3035	7/16	3 1/2
SST-3040	7/16	4



## Clip Bolt Nuts

Coarse Thread Jam Nuts

Part No.	Dia. x Thread
CLBN-363	3/8-16
CLBN-365	7/16-14
CLBN-370	1/2-13



## Lock Nuts

Prevailing Torque Type, Grade 8

Part No.	Dia. x Thread
SLN-99	5/16-24
SLN-100	3/8-24
SLN-101	7/16-20
SLNC-102	1/2-13
SLN-102	1/2-20


# Spring Accessories

## Lock Nuts Continued

Part No.	Dia. x Thread
SLN-103	9/16-18
SLNC-104	5/8-11
SLN-104	5/8-18
334-914	M16-1 1/2
334-1534	M16-2
SLNC-105	3/4-10
SLN-105	3/4-16
334-906	M20-2 1/2
334-911	M22-2 1/2
334-236	7/8-9
SLN-106	7/8-14
334-717	M24-3
SLNC-107	1-8
SLN-107	1-14
334-375	1 1/8-7
334-193	1 1/8-12
SLNC-108	1 1/4-7
SLN-108	1 1/4-12



DN-xx



DNM-200

## Deep Nut

Part No.	Dia. x Thread	Width Across Flats	Height	Grd.
DN-38	3/8-24	9/16	1/2	5
DN-716	7/16-20	5/8	39/64	5
DN-12	1/2-20	3/4	21/32	5
DN-916	9/16-18	7/8	47/64	8
DN-58	5/8-18	15/16	27/32	8
DN-34	3/4-16	1 1/16	1	8
DN-34A	3/4-16	1 1/8	1	8
DN-78	7/8-14	1 1/4	1 5/32	8
DN-78A	7/8-14	1 5/16	1 5/32	8
DN-100	1-14	1 7/16	1 5/16	8
DN-100A	1-14	1 1/2	1 5/16	8
DN-118	1 1/8-12	1 5/8	1 1/2	8
DN-125	1 1/4-12	1 13/16	1 11/16	8
DNM-200	1 1/4-12	1 13/16	2 45/64	8



SFW-xxx



SUW-xxx



SLW-xxx

## Flat Washer

Part No.	Size
SFW-38	3/8
SFW-12	1/2
SFW-58	5/8
SFW-58	5/8
SFW-34	3/4
SFW-78	7/8
SFW-100	1
SFW-118	1 1/8
SFW-125	1 1/4
334-454	2
334-1041	3 53/100

## Lock Washer


Part No.	Size
SLW-38	3/8
SLW-716	7/16
SLW-12	1/2
SLW-34	3/4
SLW-916	9/16
SLW-58	5/8
SLW-78	7/8
SLW-100	1
334-242	1 53/100

## U-Bolt Washer

Part No.	Size
SUW-716	7/16
SUW-12	1/2
SUW-916	9/16
SUW-58	5/8

## U-Bolt Washers Continued

Part No.	Size
SUW-34	3/4
SUW-78	7/8
SUW-100	1
SUW-118	1 1/8
SUW-125	1 1/4




## Aluminum Caster Adjustment Wedges

Part No.	Width	Degree(s)
A-101	1 3/4	1/2
A-102	1 3/4	1
A-103	1 3/4	1 1/2
A-104	1 3/4	2
A-105	1 3/4	2 1/2
A-106	1 3/4	3
A-107	1 3/4	3 1/2
A-108	1 3/4	4
A-201	2	1/2
A-202	2	1
A-203	2	1 1/2
A-204	2	2
A-205	2	2 1/2
A-206	2	3
A-207	2	3 1/2
A-208	2	4
A-221	2 1/4	1/2
A-222	2 1/4	1
A-223	2 1/4	1 1/2
A-224	2 1/4	2
A-225	2 1/4	2 1/2
A-226	2 1/4	3

# Spring Accessories


## Aluminum Caster Continued

Part No.	Width	Degree(s)
A-227	2 ¼	3 ½
A-228	2 ¼	4
A-251	2 ½	½
A-252	2 ½	1
A-253	2 ½	1 ½
A-254	2 ½	2
A-255	2 ½	2 ½
A-256	2 ½	3
A-257	2 ½	3 ½
A-258	2 ½	4
A-301	3	½
A-302	3	1
A-303	3	1 ½
A-304	3	2
A-305	3	2 ½
A-306	3	3
A-307	3	3 ½
A-308	3	4
A-351	3 ½	½
A-352	3 ½	1
A-353	3 ½	1 ½
A-354	3 ½	2
A-355	3 ½	2 ½
A-356	3 ½	3
A-357	3 ½	3 ½
A-358	3 ½	4
A-405	4	½
A-401	4	1
A-415	4	1 ½
A-402	4	2
A-425	4	2 ½
A-403	4	3
A-435	4	3 ½
A-404	4	4




## Leaf Spring Tip Inserts

Part No.	Type	Size
D-98	1 Button	1 ¼" Round
D-41	Cup	1 ⅞" Round
D-99	1 Button	2 ¼" Round
D-52	Cup	2 ½" Square
D-58	1 Button	2 ½" Square
D-61	Cup	2 ½" Hex
D-74	Offset 1 Button	2 ½" Square
D-56	2 Button	2 ½" x 3 ½"
D-67	2 Button	3" x 3 ½"
D-100	1 Button	2 ½" Round
D-101	1 Button	3" Round



RHR-xxx





PHR-xxx

## Rivets

Part No.	Dia.	Len.	Remarks
PHR-805	½	¾	Pan Head, Use w/MP56 and MP57 Bearing Plates
PHR-815	½	⅞	Pan Head, Use w/MP56 and MP57 Bearing Plates
RHR-820	⅜	⅝	
RHR-830	⅜	¾	
RHR-840	⅜	⅞	
RHR-850	⅜	1	
RHR-860	⅞	¾	
RHR-870	⅞	⅞	
RHR-880	⅞	1	
RHR-890	½	1	
RHR-900	½	1 ¼	

# Spring Accessories





## Spring Liners

Part No.	Wid.	Len.	Hole Dia.
DEL-106	2 3/4	3 x 3	7/16
DEL-490	3 1/2	4 x 4	1/2
GL-875	2 1/8	2 1/4 x 2 1/4	13/32
GL-106	2 3/8	2 x 2	13/32
GL-124	2 3/8	3 x 3	7/16
GL-112	2 3/4	3 x 3	5/16
GL-127	2 7/8	3 x 3	7/16
GL-294	2 7/8	3 1/2 x 3 1/2	1/2
GL-295	2 7/8	4 x 4	7/8
GL-618	3 1/4	2 3/4 x 2 3/4	1/2
GL-495	3 1/2	4 x 4	1
GL-128	3 3/4	3 x 3	1/2
GL-688	3 3/4	5 3/4 x 5 3/4	17/32
SPL-178	1 7/8	100 ft. Roll	N/A
SPL-238	2 3/8	100 ft. Roll	N/A

## Shop Equipment Punches and Dies

Part No.	Description	Remarks
PUN-11	1 1/32	
PUN-13	1 3/32	
PUN-15	1 5/32	
PUN-17	1 7/32	
DIE-12	1/2	Bottom for PUN-15
DIE-38	3/8	Bottom for PUN-11
DIE-716	7/16	Bottom for PUN-13
DIE-916	9/16	Bottom for PUN-17





## Mack Bearing Plates

Part No.	Replaces OEM Part No.	Remarks
MP-56	9QK256	Use on Plate #1
MP-57	9QK257	Use on Plate #2

## Ruler and Steel Gauge

Part No.	Description	Remarks
SFR-6	6 ft. Rule	Steel Folding Rule
SG-1	Steel Gauge	For Checking Steel Thickness



## GM Passenger Car Suspension Components

Part No.	Application	Remarks
CLBN-126	Nova, Camaro, Etc.	Spring Eye Clip
GMP-1	Nova, Camaro, Etc.	Spring Pad

## Banding Supplies

Part No.	Description	Remarks
R-500	5/8" Rubber Channel	Use w/S-500 & SB-58, Approx. 100 ft. Roll
S-500	5/8" Signode Seals	Use w/R-500 & SB-58
SB-58	5/8" Steel Banding	Use w/R-500 & S-500, Approx. 2400 ft. Roll

# Decimal & Metric Size Chart

Fractions (inch)	Decimal (inch)	Metric (mm)	Fractions (inch)	Decimal (inch)	Metric (mm)
1/64	.0156	0.3969	—	<b>.5118</b>	<b>13.0000</b>
1/32	.0313	0.7938	33/64	.5156	13.0969
—	<b>.0394</b>	<b>1.0000</b>	17/32	.5313	13.4938
3/64	.0469	1.1906	35/64	.5469	13.8906
1/16	.0625	1.5875	—	<b>.5512</b>	<b>14.0000</b>
5/64	.0781	1.9844	9/16	.5625	14.2875
—	<b>.0787</b>	<b>2.0000</b>	37/64	.5781	14.6844
3/32	.0938	2.3813	—	<b>.5906</b>	<b>15.0000</b>
7/64	.1094	2.7781	19/32	.5938	15.0813
—	<b>.1181</b>	<b>3.0000</b>	39/64	.6094	15.4781
1/8	.1250	3.1750	5/8	.6250	15.8750
9/64	.1406	3.5719	—	<b>.6299</b>	<b>16.0000</b>
5/32	.1563	3.9688	41/64	.6406	16.2719
—	<b>.1575</b>	<b>4.0000</b>	21/32	.6563	16.6688
11/64	.1719	4.3656	—	<b>.6693</b>	<b>17.0000</b>
3/16	.1875	4.7625	43/64	.6719	17.0656
—	<b>.1969</b>	<b>5.0000</b>	11/16	.6875	17.4625
13/64	.2031	5.1594	45/64	.7031	17.8594
7/32	.2188	5.5563	—	<b>.7087</b>	<b>18.0000</b>
15/64	.2344	5.9531	23/32	.7188	18.2563
—	<b>.2362</b>	<b>6.0000</b>	47/64	.7344	18.6531
1/4	.2500	6.3500	—	<b>.7480</b>	<b>19.0000</b>
17/64	.2656	6.7469	3/4	.7500	19.0500
—	<b>.2756</b>	<b>7.0000</b>	49/64	.7656	19.4469
9/32	.2813	7.1438	25/32	.7813	19.8438
19/64	.2969	7.5406	—	<b>.7874</b>	<b>20.0000</b>
5/16	.3125	7.9375	51/64	.7969	20.2406
—	<b>.3150</b>	<b>8.0000</b>	13/16	.8125	20.6375
21/64	.3281	8.3344	—	<b>.8268</b>	<b>21.0000</b>
11/32	.3438	8.7313	53/64	.8281	21.0344
—	<b>.3543</b>	<b>9.0000</b>	27/32	.8438	21.4313
23/64	.3594	9.1281	55/64	.8594	21.8281
3/8	.3750	9.5250	—	<b>.8661</b>	<b>22.0000</b>
25/64	.3906	9.9219	7/8	.8750	22.2250
—	<b>.3937</b>	<b>10.0000</b>	57/64	.8906	22.6219
13/32	.4063	10.3188	—	<b>.9055</b>	<b>23.0000</b>
27/64	.4219	10.7156	29/32	.9063	23.0188
—	<b>.4331</b>	<b>11.0000</b>	59/64	.9219	23.4156
7/16	.4375	11.1125	15/16	.9375	23.8125
29/64	.4531	11.5094	—	<b>.9449</b>	<b>24.0000</b>
15/32	.4688	11.9063	61/64	.9531	24.2094
—	<b>.4724</b>	<b>12.0000</b>	31/32	.9688	24.6063
31/64	.4844	12.3031	—	<b>.9843</b>	<b>25.0000</b>
1/2	.5000	12.7000	63/64	.9844	25.0031
			<b>1</b>	<b>1.0000</b>	<b>25.4000</b>

## Conversion Factors One (1) Inch = 25.4 Millimeters

Convert from	to	Factor
Inches (in)	Millimeters (mm)	Multiply inches by 25.4
Millimeters (mm)	Inches (in)	Divide millimeters by 25.4

## Examples

- 1** — Convert 24 inches to millimeters  
24 inches **multiplied** by 25.4 millimeters per inch equals 609.6 millimeters.
- 2** — Convert 600 millimeters to inches  
600 millimeters **divided** by 25.4 millimeters per inch equals 23.62 inches

# THREADED ROD, U-BOLTS & SPRING ACCESSORIES

PUB-220-2015 / May, 2015

**Dayton**  
**parts**™ Dayton Parts, LLC

[www.daytonparts.com](http://www.daytonparts.com)

## Call Centers:

3500 Industrial Road  
Harrisburg, PA 17110  
800-233-0899

12390 184th Street  
Edmonton, AB T5V 0A5  
800-661-9861

## Distribution Centers:

Harrisburg, PA  
Edmonton, AB  
Lewisville, TX  
Mississauga, ON

