
Fan Blades

How to Specify a Kit Masters Fan Blade



To order a fan blade please provide the following information:

A B C D -- E F

28

- A. Choose one of the following: Fan Rotation Options
 - 1 = Clockwise Rotation (sucker)
 - 2 = Counterclockwise Rotation (pusher) (Most OTR trucks are CW)

B. Choose one of the following: Number of Fan Blades

6 = 6 Blades	9 = 9 Blades
7 = 7 Blades	0 = 10 Blades
8 = 8 Blades	1 = 11 Blades

C. Choose one of the following: Maximum Projected Width (Pitch)

1 = 2.27	4 = 3.089	7 = 3.565
2 = 2.76	5 = 3.247	8 = 4.28
3 = 2.97	6 = 3.34	9 = 5.05

(Additional Dimensions are also available -Contact your Distributor)

Most fan blades ship within 24 hours.

- D. Choose one of the following: Fan Pilot Diameters $1 = 2.00^{"}$ $3 = 2.56^{"}$ $2 = 2.05^{"}$ $4 = 5.00^{"}$
- E. Choose one of the following: Fan Blade Diameter 24 = 24" Fan 30 = 30" Fan 26 = 26" Fan 32 = 32" Fan

= 28" Fan	34 = 34" Fan

F. Choose one of the following: Dish Measurement (Inches)

A = 7/8" (0.875")	J = 2 1/4" (2.250")
B = 1 1/4" (1.250")	K = 2 3/8" (2.375")
C = 1 3/8" (1.375")	L = 2 1/2" (2.50")
D = 1 1/2" (1.50")	M = 2 5/8" (2.625")
E = 1 5/8" (1.625")	N = 2 3/4" (2.750")
F = 1 3/4" (1.750")	O = 2 7/8" (2.875")
G = 1 7/8" (1.875")	P = 3" (3.00")
H = 2" (2.00")	Q = 3 1/4" (3.250")
l = 2 1/8" (2.125")	R = 3 3/4" (3.750")